

Consumer products

HCT-202310-03

REACH Annex XVII the latest revision

RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND

USE OF CERTAIN DANGEROUS SUBSTANCES

2023.10.10 updated

Column 1 Designation of the substance,	Column 2			
of the group of substances or of the mixture	Conditions of restriction			
1. Polychlorinated terphenyls (PCTs)	 Shall not be placed on the market, or used: as substances, in mixtures, including waste oils, or in equipment, in concentrations greater than 50 mg/kg (0,005 % by weight). 			
2. Chloroethene (vinyl chloride) CAS No 75-01-4 EC No 200-831-0	Shall not be used as propellant in aerosols for any use. Aerosols dispensers containing the substance as propellant shall not be placed on the market.			
 Liquid substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F; (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10; (c) hazard class 4.1; (d) hazard class 5.1. 	 Shall not be used in: ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, tricks and jokes, games for one or more participants, or any article intended to be used as such, even with ornamental aspects, Articles not complying with paragraph 1 shall not be placed on the market. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they: can be used as fuel in decorative oil lamps for supply to the general public, and present an aspiration hazard and are labelled with H304. Baced on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN). Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met: (a) lamp oils, labelled with H304, intended for supply to the general 			



cath Eddline and the states

	 public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage'; (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage'; (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
4. Tris (2,3 dibromopropyl) phosphate CAS No 126-72-7	 Shall not be used in textile articles, such as garments, undergarments and linen, intended to come into contact with the skin. Articles not complying with paragraph 1 shall not be placed on the market.
5. Benzene CAS No 71-43-2 EC No 200-753-7	 Shall not be used in toys or parts of toys where the concentration of benzene in the free state is greater than 5 mg/kg (0,0005 %) of the weight of the toy or part of toy. Toys and parts of toys not complying with paragraph 1 shall not be placed on the market. Shall not be placed on the market, or used, as a substance, as a constituent of other substances, or in mixtures, in concentrations equal to, or greater than 0,1 % by weight. However, paragraph 3 shall not apply to: (a) motor fuels which are covered by Directive 98/70/EC; (b) substances and mixtures for use in industrial processes not allowing for the emission of benzene in quantities in excess of those laid down in existing legislation; (c) natural gas placed on the market for use by consumers, provided that the concentration of benzene remains below 0,1 % volume/volume.
6. Asbestos fibres	1. The manufacture, placing on the market and use of these fibres and of
(a) Crocidolite	articles and mixtures containing these fibres added intentionally is
CAS No 12001-28-4	prohibited.
(b) Amosite	However, if the use of diaphragms containing chrysotile for electrolysis
CAS No 12172-73-5	installations in use on 13 July 2016 had been exempted by a Member
(c) Anthophyllite	State in accordance with the version of this paragraph in force until that
CAS No 77536-67-5	date, the first subparagraph shall not apply until 1 July 2025 to the use in
(d) Actinolite	those installations of such diaphragms or of chrysotile used exclusively in
CAS No 77536-66-4	the maintenance of such diaphragms, provided that such use is carried out
(e) Tremolite	in compliance with the conditions of a permit set in accordance with
CAS No 77536-68-6	Directive 2010/75/EU of the European Parliament and of the Council.
(f) Chrysotile	Any downstream user benefiting from such an exemption shall send, by 31

A logities of the standard for a first a standard on the standard on the standard of the second standard of the



HONGCAI

TESTING

CAS No 12001-29-5	January of each calendar year to the Member State in which the relevant
CAS No 132207-32-0	electrolysis installation is located, a report indicating the amount of
	chrysotile used in diaphragms pursuant to the exemption. The Member
	State shall transmit a copy to the European Commission.
	Where, in order to protect the health and safety of workers, a Member
	State requires monitoring of chrysotile in air by downstream users, the results shall be included in that report.
	2. The use of articles containing asbestos fibres referred to in paragraph
	1 which were already installed and/or in service before 1 January 2005
	shall continue to be permitted until they are disposed of or reach the end of
	their service life. However, Member States may, for reasons of protection
	of human health, restrict, prohibit or make subject to specific conditions,
	the use of such articles before they are disposed of or reach the end of their service life.
	Member States may allow placing on the market of articles in their entirety
	containing asbestos fibres referred to in paragraph 1 which were already
	installed and/or in service before 1 January 2005, under specific
	conditions ensuring a high level of protection of human health. Member
	States shall communicate these national measures to the Commission by
	1 June 2011. The Commission shall make this information publicly
	available.
	3. Without prejudice to the application of other Community provisions on
	the classification, packaging and labelling of substances and mixtures, the
	placing on the market and use of articles containing these fibres, as
	permitted according to the preceding derogations, shall be permitted only
	if suppliers ensure before the placing on the market that articles bear a
	label in accordance with Appendix 7 to this Annex.
7.	1. Shall not be used in textile articles, such as garments, undergarments
Tris(aziridinyl)phosphinoxide	and linen, intended to come into contact with the skin.
CAS No 545-55-1	2. Articles not complying with paragraph 1 shall not be placed on the
EC No 208-892-5	market.
	1. Shall not be used in textile articles, such as garments, undergarments
8. Polybromobiphenyls;	and linen, intended to come into contact with the skin.
Polybrominatedbiphenyls (PBB)	2. Articles not complying with paragraph 1 shall not be placed on the
CAS No 59536-65-1	market.
9.	
(a) Soap bark powder	1. Shall not be used, in jokes and hoaxes or in mixtures or articles
(Quillaja saponaria) and its	intended to be used as such, for instance as a constituent of sneezing
derivatives containing	powder and stink bombs.
saponines	2. Jokes and hoaxes, or mixtures or articles intended to be used as such,
CAS No 68990-67-0	not complying with paragraph 1 shall not be placed on the market.
EC No 273-620-4	3. However, paragraphs 1 and 2 shall not apply to stink bombs
(b) Powder of the roots of	containing not more than 1,5 ml of liquid.





 Helleborus viridis and Helleborus niger (c) Powder of the roots of Veratrum album and Veratrum nigrum (d) Benzidine and/or its derivatives CAS No 92-87-5 EC No 202-199-1 (e) o-Nitrobenzaldehyde CAS No 552-89-6 EC No 209-025-3 (f) Wood powder 	
 (i) Wood powder 10. (a) Ammonium sulphide CAS No 12135-76-1 EC No 235-223-4 (b) Ammonium hydrogen sulphide CAS No 12124-99-1 EC No 235-184-3 (c) Ammonium polysulphide CAS No 9080-17-5 EC No 232-989-1 	 Shall not be used, in jokes and hoaxes or in mixtures or articles intended to be used as such, for instance as a constituent of sneezing powder and stink bombs. Jokes and hoaxes, or mixtures or articles intended to be used as such, not complying with paragraph 1 shall not be placed on the market. However, paragraphs 1 and 2 shall not apply to stink bombs containing not more than 1,5 ml of liquid.
 11. Volatile esters of bromoacetic acids: (a) Methyl bromoacetate CAS No 96-32-2 EC No 202-499-2 (b) Ethyl bromoacetate CAS No 105-36-2 EC No 203-290-9 (c) Propyl bromoacetate CAS No 35223-80-4 (d) Butyl bromoacetate CAS No 18991-98-5 EC No 242-729-9 	 Shall not be used, in jokes and hoaxes or in mixtures or articles intended to be used as such, for instance as a constituent of sneezing powder and stink bombs. Jokes and hoaxes, or mixtures or articles intended to be used as such, not complying with paragraph 1 shall not be placed on the market. However, paragraphs 1 and 2 shall not apply to stink bombs containing not more than 1,5 ml of liquid.
 12. 2-Naphthylamine CAS No 91-59-8 EC No 202-080-4 and its salts 13. Benzidine CAS No 92-87-5 	The following shall apply to entries 12 to 15: Shall not be placed on the market, or used, as substances or in mixtures in concentrations greater than 0,1 % by weight.

and Cold tranks a bar



EC No 202-199-1 and its salts	
14. 4-Nitrobiphenyl CAS No 92-93-3 Einecs EC No 202-204-7	
 15. 4-Aminobiphenyl xenylamine CAS No 92-67-1 Einecs EC No 202-177-1 and its salts 	
 16. Lead carbonates: (a) Neutral anhydrous carbonate (PbCO₃) CAS No 598-63-0 EC No 209-943-4 (b) Trilead-bis(carbonate)-dihydroxi de 2Pb CO₃-Pb(OH)₂ CAS No 1319-46-6 EC No 215-290-6 	Shall not be placed on the market, or used, as substances or in mixtures, where the substance or mixture is intended for use as paint. However, Member States may, in accordance with the provisions of International Labour Organization (ILO) Convention 13, permit the use on their territory of the substance or mixture for the restoration and maintenance of works of art and historic buildings and their interiors, as well as the placing on the market for such use. Where a Member State makes use of this derogation, it shall inform the Commission thereof.
 17. Lead sulphates: (a) PbSO₄ CAS No 7446-14-2 EC No 231-198-9 (b) Pb_x SO₄ CAS No 15739-80-7 EC No 239-831-0 	Shall not be placed on the market, or used, as substances or in mixtures, where the substance or mixture is intended for use as paint. However, Member States may, in accordance with the provisions of International Labour Organization (ILO) Convention 13, permit the use on their territory of the substance or mixture for the restoration and maintenance of works of art and historic buildings and their interiors, as well as the placing on the market for such use. Where a Member State makes use of this derogation, it shall inform the Commission thereof.
18. Mercury compounds	 Shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is intended for use: (a) to prevent the fouling by micro-organisms, plants or animals of: the hulls of boats, cages, floats, nets and any other appliances or equipment used for fish or shellfish farming, any totally or partly submerged appliances or equipment; (b) in the preservation of wood; (c) in the impregnation of heavy-duty industrial textiles and yarn intended for their manufacture; (d) in the treatment of industrial waters, irrespective of their use.
18a. Mercury	1. Shall not be placed on the market:
CAS No 7439-97-6	(a) in fever thermometers;
EC No 231-106-7	(b) in other measuring devices intended for sale to the general public

INGEAL TESTING
 (such as manometers, barometers, sphygmomanometers, thermometers other than fever thermometers). 2. The restriction in paragraph 1 shall not apply to measuring devices that were in use in the Community before 3 April 2009. However Member States may restrict or prohibit the placing on the market of such measuring devices. 3. The restriction in paragraph 1(b) shall not apply to: (a) measuring devices more than 50 years old on 3 October 2007; (b) barometers (except barometers within point (a)) until 3 October 2009. 5. The following mercury-containing measuring devices intended for industrial and professional uses shall not be placed on the market after 10 April 2014: (a) barometers; (b) hygrometers; (c) manometers; (d) sphygmomanometers; (e) strain gauges to be used with plethysmographs; (f) tensiometers; (g) thermometers and other non-electrical thermometric applications. The restriction shall also apply to measuring devices under points (a) to (g)
 which are placed on the market empty if intended to be filled with mercury. 6. The restriction in paragraph 5 shall not apply to: (a) sphygmomanometers to be used: (i) in epidemiological studies which are ongoing on 10 October 2012; (ii) as reference standards in clinical validation studies of mercury-free sphygmomanometers; (b) thermometers exclusively intended to perform tests according to standards that require the use of mercury thermometers until 10 October 2017; (c) mercury triple point cells which are used for the calibration of platinum resistance thermometers. 7. The following mercury-using measuring devices intended for professional and industrial uses shall not be placed on the market after 10 April 2014: (a) mercury pycnometers; (b) mercury metering devices for determination of the softening point. 8. The restrictions in paragraphs 5 and 7 shall not apply to: (a) measuring devices which are to be displayed in public exhibitions for cultural and historical purposes.

		1.	Shall	not	be	placed	on	the	market,	or	used,	as	substances	or	in
19.	Arsenic compounds	mixt	tures w	here	e the	e substa	ince	or r	nixture is	s int	ended	for	use to preve	ent t	he
		fouli	ing by	micr	o-or	ganism	s, pl	ants	or anim	als	of:				



ONGCAI TESTING

the hulls of boats,

 cages, floats, nets and any other appliances or equipment used for fish or shellfish farming,

— any totally or partly submerged appliances or equipment.

2. Shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is intended for use in the treatment of industrial waters, irrespective of their use.

3. Shall not be used in the preservation of wood. Furthermore, wood so treated shall not be placed on the market.

4. By way of derogation from paragraph 3:

(a) Relating to the substances and mixtures for the preservation of wood: these may only be used in industrial installations using vacuum or pressure to impregnate wood if they are solutions of inorganic compounds of the copper, chromium, arsenic (CCA) type C and if they are authorised in accordance with Article 5(1) of Directive 98/8/EC. Wood so treated shall not be placed on the market before fixation of the preservative is completed.

(b) Wood treated with CCA solution in accordance with point (a) may be placed on the market for professional and industrial use provided that the structural integrity of the wood is required for human or livestock safety and skin contact by the general public during its service life is unlikely:

 as structural timber in public and agricultural buildings, office buildings, and industrial premises,

in bridges and bridgework,

 as constructional timber in freshwater areas and brackish waters, for example jetties and bridges,

- as noise barriers,
- in avalanche control,
- in highway safety fencing and barriers,
- as debarked round conifer livestock fence posts,
- in earth retaining structures,
- as electric power transmission and telecommunications poles,
- as underground railway sleepers.

(c) Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that all treated wood placed on the market is individually labelled 'For professional and industrial installation and use only, contains arsenic'. In addition, all wood placed on the market in packs shall also bear a label stating 'Wear gloves when handling this wood. Wear a dust mask and eye protection when cutting or otherwise crafting this wood. Waste from this wood shall be treated as hazardous by an authorised undertaking'.

(d) Treated wood referred to under point (a) shall not be used:



A state of the sta

TESTING

UNGCAI



	 in residential or domestic constructions, whatever the purpose, in any application where there is a risk of repeated skin contact, in marine waters, for agricultural purposes other than for livestock fence posts and structural uses in accordance with point (b), in any application where the treated wood may come into contact with intermediate or finished products intended for human and/or animal consumption. 5. Wood treated with arsenic compounds that was in use in the Community before 30 September 2007, or that was placed on the market in accordance with paragraph 4 may remain in place and continue to be used until it reaches the end of its service life. 6. Wood treated with CCA type C that was in use in the Community before 30 September 2007, or that was placed on the market in accordance with paragraph 4: may be used or reused subject to the conditions pertaining to its use listed under points 4(b), (c) and (d). Member States may allow wood treated with other types of CCA solutions that was in use in the Community before 30 September 2007: to be used or reused subject to the conditions pertaining to its use listed under points 4(b), (c) and (d).
20. Organostannic compounds	 use listed under points 4(b), (c) and (d). 1. Shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is acting as biocide in free association paint. 2. Shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture acts as biocide to prevent the fouling by micro-organisms, plants or animals of: (a) all craft irrespective of their length intended for use in marine, coastal, estuarine and inland waterways and lakes; (b) cages, floats, nets and any other appliances or equipment used for fish or shellfish farming; (c) any totally or partly submerged appliance or equipment. 3. Shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is intended for use in the treatment of industrial waters. 4. Tri-substituted organostannic compounds: (a) Tri-substituted organostannic compounds such as tributyltin (TBT) compounds and triphenyltin (TPT) compounds shall not be used after 1 July 2010 in articles where the concentration in the article, or part thereof,



This is a number of the second of the second



ONGCAI TESTIN

is greater than the equivalent of 0,1 % by weight of tin.

(b) Articles not complying with point (a) shall not be placed on the market after 1 July 2010, except for articles that were already in use in the Community before that date.

5. Dibutyltin (DBT) compounds:

(a) Dibutyltin (DBT) compounds shall not be used after 1 January 2012 in mixtures and articles for supply to the general public where the concentration in the mixture or the article, or part thereof, is greater than the equivalent of 0,1 % by weight of tin.

(b) Articles and mixtures not complying with point (a) shall not be placed on the market after 1 January 2012, except for articles that were already in use in the Community before that date.

(c) By way of derogation, points (a) and (b) shall not apply until 1 January2015 to the following articles and mixtures for supply to the general public:

 one-component and two-component room temperature vulcanisation sealants (RTV-1 and RTV-2 sealants) and adhesives,

 paints and coatings containing DBT compounds as catalysts when applied on articles,

 soft polyvinyl chloride (PVC) profiles whether by themselves or coextruded with hard PVC,

 fabrics coated with PVC containing DBT compounds as stabilisers when intended for outdoor applications,

 $-\,$ outdoor rainwater pipes, gutters and fittings, as well as covering material for roofing and façades,

(d) By way of derogation, points (a) and (b) shall not apply to materials and articles regulated under Regulation (EC) No 1935/2004.

6. Dioctyltin (DOT) compound:

(a) Dioctyltin (DOT) compounds shall not be used after 1 January 2012 in the following articles for supply to, or use by, the general public, where the concentration in the article, or part thereof, is greater than the equivalent of 0,1 % by weight of tin:

- textile articles intended to come into contact with the skin,

gloves,

 $-\,$ footwear or part of footwear intended to come into contact with the skin,

wall and floor coverings,

childcare articles,

female hygiene products,

nappies,

 two-component room temperature vulcanisation moulding kits (RTV-2 moulding kits).

(b) Articles not complying with point (a) shall not be placed on the market after 1 January 2012, except for articles that were already in use in





	the Community before that date.
21.	Shall not be placed on the market, or used, as a substance, or in mixture
Di-µ-oxo-di-n-butylstanniohydro	in a concentration equal to, or greater than 0,1 % by weight.
xyborane/Dibutyltin hydrogen	However, the first paragraph shall not apply to this substance (DBB) of
borate C8H19BO3Sn (DBB)	mixtures containing it if these are intended solely for conversion int
CAS No 75113-37-0	articles, among which this substance will no longer feature in
EC No 401-040-5	concentration equal to or greater than 0,1 %.
	 For the purpose of this entry, the codes and chapters indicated in squar brackets are the codes and chapters of the tariff and statistica nomenclature of Common Customs Tariff as established by Counce Regulation (EEC) No 2658/87. 1. Shall not be used in mixtures and articles produced from the followin synthetic organic polymers (hereafter referred to as plastic material): polymers or copolymers of vinyl chloride (PVC) [3904 10] [3904 21] polyurethane (PUR) [3909 50] low-density polyethylene (LDPE), with the exception of low-densit polyethylene used for the production of coloured masterbatch [3901 10] cellulose acetate butyrate (CAB) [3912 11] epoxy resins [3907 30]
23. Cadmium CAS No 7440-43-9 EC No 231-152-8 and its compounds	 melamine-formaldehyde (MF) resins [3909 20] urea-formaldehyde (UF) resins [3909 10] unsaturated polyesters (UP) [3907 91] polyethylene terephthalate (PET) [3907 60] polybutylene terephthalate (PBT) transparent/general-purpose polystyrene [3903 11] acrylonitrile methylmethacrylate (AMMA) cross-linked polyethylene (VPE) high-impact polystyrene polypropylene (PP) [3902 10] Mixtures and articles produced from plastic material as listed above shan not be placed on the market if the concentration of cadmium (expresse as Cd metal) is equal to or greater than 0,01 % by weight of the plastic material. By way of derogation, the second subparagraph shall not apply to article placed on the market before 10 December 2011. The first and second subparagraphs apply without prejudice to Counce Directive 94/62/EC and acts adopted on its basis.
	By 19 November 2012, in accordance with Article 69, the Commissions shall ask the European Chemicals Agency to prepare a dossience conforming to the requirements of Annex XV in order to assess whether the use of cadmium and its compounds in plastic material, other than the

Mitthe a the antide a tradition of the and the action of the second second second second second second second s



VALI

ONGEAI TESTING

listed in subparagraph 1, should be restricted.

2. Shall not be used or placed on the market in paints with codes [3208] [3209] in a concentration (expressed as Cd metal) equal to or greater than 0,01 % by weight.

For paints with codes [3208] [3209] with a zinc content exceeding 10 % by weight of the paint, the concentration of cadmium (expressed as Cd metal) shall not be equal to or greater than 0,1 % by weight.

Painted articles shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,1 % by weight of the paint on the painted article.

3. By way of derogation, paragraphs 1 and 2 shall not apply to articles coloured with mixtures containing cadmium for safety reasons.

4. By way of derogation, paragraph 1, second subparagraph shall not apply to:

mixtures produced from PVC waste, hereinafter referred to as 'recovered PVC',

 mixtures and articles containing recovered PVC if their concentration of cadmium (expressed as Cd metal) does not exceed 0,1 % by weight of the plastic material in the following rigid PVC applications:

- (a) profiles and rigid sheets for building applications;
- (b) doors, windows, shutters, walls, blinds, fences, and roof gutters;
- (c) decks and terraces;
- (d) cable ducts;

(e) pipes for non-drinking water if the recovered PVC is used in the middle layer of a multilayer pipe and is entirely covered with a layer of newly produced PVC in compliance with paragraph 1 above.

Suppliers shall ensure, before the placing on the market of mixtures and articles containing recovered PVC for the first time, that these are visibly, legibly and indelibly marked as follows: 'Contains recovered PVC' or with the following pictogram:



In accordance with Article 69 of this Regulation, the derogation granted in paragraph 4 will be reviewed, in particular with a view to reducing the limit value for cadmium and to reassess the derogation for the applications listed in points (a) to (e), by 31 December 2017.

5. For the purpose of this entry, 'cadmium plating' means any deposit or coating of metallic cadmium on a metallic surface.

Shall not be used for cadmium plating metallic articles or components of the articles used in the following sectors/applications:



The contraction of the second of the contraction of the second second second second second second second second



IONGCAI TESTING

(a) ec	juipment	and	machinery	for:

- food production [8210] [8417 20] [8419 81] [8421 11] [8421 22]
 [8422] [8435] [8437] [8438] [8476 11]
- agriculture [8419 31] [8424 81] [8432] [8433] [8434] [8436]
- cooling and freezing [8418]
- printing and book-binding [8440] [8442] [8443]
- (b) equipment and machinery for the production of:
 - household goods [7321] [8421 12] [8450] [8509] [8516]
 - furniture [8465] [8466] [9401] [9402] [9403] [9404]
 - sanitary ware [7324]

— central heating and air conditioning plant [7322] [8403] [8404] [8415] In any case, whatever their use or intended final purpose, the placing on the market of cadmium-plated articles or components of such articles used in the sectors/applications listed in points (a) and (b) above and of articles manufactured in the sectors listed in point (b) above is prohibited.

6. The provisions referred to in paragraph 5 shall also be applicable to cadmium-plated articles or components of such articles when used in the sectors/applications listed in points (a) and (b) below and to articles manufactured in the sectors listed in (b) below:

(a) equipment and machinery for the production of:

paper and board [8419 32] [8439] [8441] textiles and clothing [8444]
 [8445] [8447] [8448] [8449] [8451] [8452]

(b) equipment and machinery for the production of:

industrial handling equipment and machinery [8425] [8426] [8427]
 [8428] [8429] [8430] [8431]

- road and agricultural vehicles [chapter 87]
- rolling stock [chapter 86]
- vessels [chapter 89]
- 7. However, the restrictions in paragraphs 5 and 6 shall not apply to:

 articles and components of the articles used in the aeronautical, aerospace, mining, offshore and nuclear sectors whose applications require high safety standards and in safety devices in road and agricultural vehicles, rolling stock and vessels,

 electrical contacts in any sector of use, where that is necessary to ensure the reliability required of the apparatus on which they are installed.

8. Shall not be used in brazing fillers in concentration equal to or greater than 0,01 % by weight.

Brazing fillers shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,01 % by weight.

For the purpose of this paragraph brazing shall mean a joining technique using alloys and undertaken at temperatures above 450 °C.

and Call to Dealant

A set de state este ante al constitue de attrice de ante al constitue de la set de la set de la set de la set d



	 9. By way of derogation, paragraph 8 shall not apply to brazing fillers used in defence and aerospace applications and to brazing fillers used for safety reasons. 10. Shall not be used or placed on the market if the concentration is equal to or greater than 0,01 % by weight of the metal in: (i) metal beads and other metal components for jewellery making; (ii) metal parts of jewellery and imitation jewellery articles and hair accessories, including: bracelets, necklaces and rings, piercing jewellery, wrist-watches and wrist-wear, brooches and cufflinks. 11. By way of derogation, paragraph 10 shall not apply to articles placed on the market before 10 December 2011 and jewellery more than 50 years old on 10 December 2011.
24. Monomethyl — tetrachlorodiphenyl methane Trade name: Ugilec 141 CAS No 76253-60-6	 Shall not be placed on the market, or used, as a substance or in mixtures. Articles containing the substance shall not be placed on the market. By way of derogation, paragraph 1 shall not apply: (a) in the case of plant and machinery already in service on 18 June 1994, until such plant and machinery is disposed of; (b) in the case of the maintenance of plant and machinery already in service within a Member State on 18 June 1994. For the purposes of point (a) Member States may, on grounds of human health protection and environmental protection, prohibit within their territory the use of such plant or machinery before it is disposed of.
25. Monomethyl-dichloro-diphenyl methane Trade name: Ugilec 121 Ugilec 21	Shall not be placed on the market, or used, as a substance or in mixtures. Articles containing the substance shall not be placed on the market.
26. Monomethyl-dibromo-diphenyl methane bromobenzylbromotoluene, mixture of isomers Trade name: DBBT CAS No 99688-47-8	Shall not be placed on the market, or used, as a substance or in mixtures. Articles containing the substance shall not be placed on the market.
27. Nickel CAS No 7440-02-0 EC No 231-111-4 and its compounds	 Shall not be used: (a) in any post assemblies which are inserted into pierced ears and other pierced parts of the human body unless the rate of nickel release from such post assemblies is less than 0,2 µg/cm2/week (migration limit); (b) in articles intended to come into direct and prolonged contact with the

and Cold trades has

A sector of the second sector of the second of the second sector of the sector of the



	skin such as:
	— earrings,
	 necklaces, bracelets and chains, anklets, finger rings,
	 — wrist-watch cases, watch straps and tighteners,
	- rivet buttons, tighteners, rivets, zippers and metal marks, when these
	are used in garments,
	if the rate of nickel release from the parts of these articles coming into
	direct and prolonged contact with the skin is greater than 0,5
	µg/cm2/week.
	(c) in articles referred to in point (b) where these have a non-nickel
	coating unless such coating is sufficient to ensure that the rate of nickel
	release from those parts of such articles coming into direct and prolonged
	contact with the skin will not exceed 0,5 µg/cm2/week for a period of at
	least two years of normal use of the article.
	2. Articles which are the subject of paragraph 1 shall not be placed on
	the market unless they conform to the requirements set out in that
	paragraph.
	3. The standards adopted by the European Committee for
	Standardisation (CEN) shall be used as the test methods for
	demonstrating the conformity of articles to paragraphs 1 and 2.
28. Substances which are	Without prejudice to the other parts of this Annex the following shall apply
classified as carcinogen	to entries 28 to 30:
category 1A or 1B in Part 3 of	1. Shall not be placed on the market, or used,
Annex VI to Regulation (EC) No	— as substances,
1272/2008 and are listed in	 as constituents of other substances, or,
Appendix 1 or Appendix 2,	— in mixtures,
respectively.	for supply to the general public when the individual concentration in the
	substance or mixture is equal to or greater than:
29. Substances which are	 either the relevant specific concentration limit specified in Part 3 of
classified as germ cell mutagen	Annex VI to Regulation (EC) No 1272/2008, or,
category 1A or 1B in Part 3 of	 the relevant generic concentration limit specified in Part 3 of Annex I
Annex VI to Regulation (EC) No	of Regulation (EC) No 1272/2008.
1272/2008 and are listed in	Without prejudice to the implementation of other Community provisions
Appendix 3 or Appendix 4,	relating to the classification, packaging and labelling of substances and
respectively.	mixtures, suppliers shall ensure before the placing on the market that the
	packaging of such substances and mixtures is marked visibly, legibly and
30. Substances which are	indelibly as follows:
classified as reproductive	'Restricted to professional users'.
toxicant category 1A or 1B in	2. By way of derogation, paragraph 1 shall not apply to:
Part 3 of Annex VI to Regulation	 (a) medicinal or veterinary products as defined by Directive 2001/82/EC
(EC) No 1272/2008 and are	and Directive 2001/83/EC;
listed in Appendix 5 or Appendix	(b) cosmetic products as defined by Directive 76/768/EEC;
6, respectively.	(c) the following fuels and oil products:

and Call to Dealast

A logities of the second second second the second the second second second second second second second second s



	— motor fuels which are covered by Directive 98/70/EC,
	— mineral oil products intended for use as fuel in mobile or fixed
	combustion plants,
	 fuels sold in closed systems (e.g. liquid gas bottles);
	(d) artists' paints covered by Regulation (EC) No 1272/2008;
	(e) the substances listed in Appendix 11, column 1, for the applications or
	uses listed in Appendix 11, column 2. Where a date is specified in column
	2 of Appendix 11, the derogation shall apply until the said date;
	(f) devices covered by Regulation (EU) 2017/745.
31.	1. Shall not be placed on the market, or used, as substances or in
(a) Creosote; wash oil	mixtures where the substance or mixture is intended for the treatment of
CAS No 8001-58-9	wood. Furthermore, wood so treated shall not be placed on the market.
EC No 232-287-5	2. By way of derogation from paragraph 1:
	(a) The substances and mixtures may be used for wood treatment in
(b) Creosote oil; wash oil	industrial installations or by professionals covered by Community
CAS No 61789-28-4	legislation on the protection of workers for in situ retreatment only if they
EC No 263-047-8	contain:
	(i) benzo[a]pyrene at a concentration of less than 50 mg/kg (0,005 % by
(c) Distillates (coal tar),	weight), and
naphthalene oils; naphthalene	(ii) water extractable phenols at a concentration of less than 3 % by
oil	weight.
CAS No 84650-04-4	Such substances and mixtures for use in wood treatment in industrial
EC No 283-484-8	installations or by professionals:
	— may be placed on the market only in packaging of a capacity equal to
(d) Creosote oil,	or greater than 20 litres,
acenaphthene fraction; wash oil	- shall not be sold to consumers.
CAS No 90640-84-9	Without prejudice to the application of other Community provisions on the
EC No 283-484-8EC No	classification, packaging and labelling of substances and mixtures,
292-605-3	suppliers shall ensure before the placing on the market that the packaging
	of such substances and mixtures is visibly, legibly and indelibly marked as
(e) Distillates (coal tar), upper;	follows:
heavy anthracene oil	'For use in industrial installations or professional treatment only'.
CAS No 65996-91-0	(b) Wood treated in industrial installations or by professionals according
EC No 266-026-1	to subparagraph (a) which is placed on the market for the first time or
	retreated in situ may be used for professional and industrial use only, for
(f) Anthracene oil	example on railways, in electric power transmission and
CAS No 90640-80-5	telecommunications, for fencing, for agricultural purposes (for example
EC No 292-602-7	stakes for tree support) and in harbours and waterways.
	(c) The prohibition in paragraph 1 on the placing on the market shall not
(g) Tar acids, coal, crude;	apply to wood which has been treated with substances listed in entry 31
crude phenols	(a) to (i) before 31 December 2002 and is placed on the second-hand
CAS No 65996-85-2	market for re-use.
EC No 266-019-3	3. Treated wood referred to under paragraph 2(b) and (c) shall not be

all Gallton the bar

A state of the sta



UNGCAI TESTING

	used:
(h) Creosote, wood	 inside buildings, whatever their purpose,
CAS No 8021-39-4	— in toys,
EC No 232-419-1	— in playgrounds,
	- in parks, gardens, and outdoor recreational and leisure facilities where
(i) Low temperature tar oil,	there is a risk of frequent skin contact,
alkaline; extract residues (coal),	- in the manufacture of garden furniture such as picnic tables,
low temperature coal tar alkaline	 for the manufacture and use and any re-treatment of:
CAS No 122384-78-5	 — containers intended for growing purposes,
EC No 310-191-5	- packaging that may come into contact with raw materials,
	intermediate or finished products destined for human and/or animal
	consumption,
	- other materials which may contaminate the articles mentioned
	above.
32. Chloroform	
CAS No 67-66-3	Without prejudice to the other parts of this Annex, the following shall apply
EC No 200-663-8	to entries 32 to 38.
	1. Shall not be placed on the market, or used,
34. 1,1,2-Trichloroethane	— as substances,
CAS No 79-00-5	- as constituents of other substances, or in mixtures in concentrations
EC No 201-166-9	equal to or greater than 0,1 % by weight,
	where the substance or mixture is intended for supply to the general public
35. 1,1,2,2-Tetrachloroethane	and/or is intended for diffusive applications such as in surface cleaning
CAS No 79-34-5	and cleaning of fabrics.
EC No 201-197-8	2. Without prejudice to the application of other Community provisions on
	the classification, packaging and labelling of substances and mixtures,
36. 1,1,1,2-Tetrachloroethane	suppliers shall ensure before the placing on the market that the packaging
CAS No 630-20-6	of such substances and mixtures containing them in concentrations equal
	to or greater than 0,1 % by weight is visibly, legibly and indelibly marked as
37. Pentachloroethane	follows:
CAS No 76-01-7	'For use in industrial installations only'.
EC No 200-925-1	By way of derogation this provision shall not apply to:
	(a) medicinal or veterinary products as defined by Directive 2001/82/EC
38. 1,1-Dichloroethene	and Directive 2001/83/EC;
CAS No 75-35-4	(b) cosmetic products as defined by Directive 76/768/EEC.
EC No 200-864-0	
40. Substances classified as	1. Shall not be used, as substance or as mixtures in aerosol dispensers
flammable gases category 1 or	where these aerosol dispensers are intended for supply to the general
2, flammable liquids categories	public for entertainment and decorative purposes such as the following:
1, 2 or 3, flammable solids	 metallic glitter intended mainly for decoration,
category 1 or 2, substances and	— artificial snow and frost,
mixtures which, in contact with	— 'whoopee' cushions,
water, emit flammable gases,	— silly string aerosols,

and Galling Branks



category 1 2 or 3 pyrophoric	 imitation excrement,
category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric	 Initiation excrement, horns for parties,
solids category 1, regardless of	 decorative flakes and foams, artificial achieves
whether they appear in Part 3 of	- artificial cobwebs,
Annex VI to Regulation (EC) No	— stink bombs.
1272/2008 or not.	2. Without prejudice to the application of other Community provisions on
	the classification, packaging and labelling of substances, suppliers shall
	ensure before the placing on the market that the packaging of aerosol
	dispensers referred to above is marked visibly, legibly and indelibly with:
	'For professional users only'.
	3. By way of derogation, paragraphs 1 and 2 shall not apply to the
	aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC.
	4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be
	placed on the market unless they conform to the requirements indicated.
41. Hexachloroethane	Shall not be placed on the market, or used, as substance or in mixtures,
CAS No 67-72-1	where the substance or mixture is intended for the manufacturing or
EC No 200-666-4	processing of non-ferrous metals.
	1. Azodyes which, by reductive cleavage of one or more azo groups,
43. Azocolourants and Azodyes	may release one or more of the aromatic amines listed in Appendix 8, in
	detectable concentrations, i.e. above 30 mg/kg (0,003 % by weight) in the
	articles or in the dyed parts thereof, according to the testing methods listed
	in Appendix 10, shall not be used, in textile and leather articles which may
	come into direct and prolonged contact with the human skin or oral cavity,
	such as:
	— clothing, bedding, towels, hairpieces, wigs, hats, nappies and other
	sanitary items, sleeping bags,
	— footwear, gloves, wristwatch straps, handbags, purses/wallets,
	briefcases, chair covers, purses worn round the neck,
	— textile or leather toys and toys which include textile or leather
	garments,
	- yarn and fabrics intended for use by the final consumer.
	2. Furthermore, the textile and leather articles referred to in paragraph 1
	shall not be placed on the market unless they conform to the requirements
	set out in that paragraph.
	3. Azodyes, which are contained in Appendix 9, 'List of azodyes' shall not
	be placed on the market, or used, as substances, or in mixtures in
	concentrations greater than 0,1 % by weight, where the substance or the
	mixture is intended for colouring textile and leather articles.
45.	1. Shall not be placed on the market, or used:
Diphenylether, octabromo	— as a substance,
derivative	- as a constituent of other substances, or in mixtures, in
C12H2Br8O	concentrations greater than 0,1 % by weight.



TESTING



HUNGCAI

	2. Articles shall not be placed on the market if they, or flame-retardant parts thereof, contain this substance in concentrations greater than 0,1 %
	by weight.
	3. By way of derogation, paragraph 2 shall not apply:
	— to articles that were in use in the Community before 15 August 2004,
	 to electrical and electronic equipment within the scope of Directive 2002/95/EC.
	Shall not be placed on the market, or used, as substances or in mixtures in
	concentrations equal to or greater than 0,1 % by weight for the following
	purposes:
	(1) industrial and institutional cleaning except:
	 controlled closed dry cleaning systems where the washing liquid is recycled or incinerated,
	 cleaning systems with special treatment where the washing liquid is
	recycled or incinerated.
	(2) domestic cleaning;
	(3) textiles and leather processing except:
46.	 processing with no release into waste water,
(a) Nonylphenol	- systems with special treatment where the process water is
C ₆ H ₄ (OH)C ₉ H ₁₉	pre-treated to remove the organic fraction completely prior to biological
	waste water treatment (degreasing of sheepskin);
(b) Nonylphenol ethoxylates	(4) emulsifier in agricultural teat dips;
(C2H4O)nC ₁₅ H ₂₄ O	(5) metal working except:
	uses in controlled closed systems where the washing liquid is recycled or
	incinerated;
	(6) manufacturing of pulp and paper;
	(7) cosmetic products;
	(8) other personal care products except:
	spermicides;
	(9) co-formulants in pesticides and biocides. However national
	authorisations for pesticides or biocidal products containing nonylphenol
	ethoxylates as co-formulant, granted before 17 July 2003, shall not be
	affected by this restriction until their date of expiry.
	1. Shall not be placed on the market after 3 February 2021 in textile
	articles which can reasonably be expected to be washed in water during
	their normal lifecycle, in concentrations equal to or greater than 0,01 % by
	weight of that textile article or of each part of the textile article.
46a. Nonylphenol ethoxylates	2. Paragraph 1 shall not apply to the placing on the market of
(NPE)	second-hand textile articles or of new textile articles produced, without the
(C ₂ H ₄ O)nC ₁₅ H ₂₄ O	use of NPE, exclusively from recycled textiles.
	3. For the purposes of paragraphs 1 and 2, 'textile article' means any
	unfinished, semi-finished or finished product which is composed of at least
	80 % textile fibres by weight, or any other product that contains a part
	1 00 70 texture indres by weight, or any other product that contains a part

Carly Could to a bear

A logities of the standard for a first a standard on the standard on the standard of the second standard of the



	which is composed of at least 80 % textile fibres by weight, including
	products such as clothing, accessories, interior textiles, fibres, yarn, fabrics and knitted panels.
47. Chromium VI compounds	 Cement and cement-containing mixtures shall not be placed on the market, or used, if they contain, when hydrated, more than 2 mg/kg (0,0002 %) soluble chromium VI of the total dry weight of the cement. If reducing agents are used, then without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of cement or cement-containing mixtures is visibly, legibly and indelibly marked with information on the packing date, as well as on the storage conditions and the storage period appropriate to maintaining the activity of the reducing agent and to keeping the content of soluble chromium VI below the limit indicated in paragraph 1. By way of derogation, paragraphs 1 and 2 shall not apply to the placing on the market for, and use in, controlled closed and totally automated processes in which cement and cement-containing mixtures are handled solely by machines and in which there is no possibility of contact with the skin. The standard adopted by the European Committee for Standardization (CEN) for testing the water-soluble chromium (VI) content of cement and cement-containing mixtures shall be used as the test method for demonstrating conformity with paragraph 1. Leather articles coming into contact with the skin shall not be placed on the market where they contain chromium VI in concentrations equal to or greater than 3 mg/kg (0,0003 % by weight) of the total dry weight of the leather. Articles containing leather parts coming into contact with the skin shall not be placed on the market where any of those leather parts contains chromium VI in concentrations equal to or greater than 3 mg/kg (0,0003 % by weight) of the total dry weight of the leather. Articles containing leather parts coming into contact with the skin shall not be placed on the market where any of those leather part
48. Toluene CAS No 108-88-3 EC No 203-625-9	2015. Shall not be placed on the market, or used, as a substance or in mixtures in a concentration equal to or greater than 0,1 % by weight where the substance or mixture is used in adhesives or spray paints intended for supply to the general public.
49. Trichlorobenzene CAS No 120-82-1 EC No 204-428-0	Shall not be placed on the market, or used, as a substance or in mixtures in a concentration equal to or greater than 0,1 % by weight for any use except: — as an intermediate of synthesis, or,

a h Eddiff to a barre

Mindean desana a trabation of a data differentia a data a trabation of the second of t

ONGCAI TESTING



-as a process solvent in closed chemical applications for chlorination reactions, or, —in the manufacture of 1,3,5-triamino — 2,4,6-trinitrobenzene (TATB). 1. From 1 January 2010, extender oils shall not be placed on the market, or used for the production of tyres or parts of tyres if they contain: - more than 1 mg/kg (0,0001 % by weight) BaP, or, - more than 10 mg/kg (0,001 % by weight) of the sum of all listed PAHs. The standard EN 16143:2013 (Petroleum products - Determination of content of Benzo(a)pyrene (BaP) and selected polycyclic aromatic 50. Polycyclic-aromatic hydrocarbons (PAH) hydrocarbons (PAH) in extender oils - Procedure using double LC (a) Benzo[a]pyrene (BaP) cleaning and GC/MS analysis) shall be used as the test method for CAS No 50-32-8 demonstrating conformity with the limits referred to in the first subparagraph. (b) Benzo[e]pyrene (BeP) Until 23 September 2016, the limits referred to in the first subparagraph CAS No 192-97-2 may be regarded as kept, if the polycyclic aromatics (PCA) extract is less than 3 % by weight as measured by the Institute of Petroleum standard IP 346:1998 (Determination of PCA in unused lubricating base oils and (c) Benzo[a]anthracene (BaA) CAS No 56-55-3 asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method), provided that compliance with the limits of BaP (d) Chrysen (CHR) and of the listed PAHs, as well as the correlation of the measured values CAS No 218-01-9 with the PCA extract, is measured by the manufacturer or importer every six months or after each major operational change, whichever is earlier. (e) Benzo[b]fluoranthene Furthermore, tyres and treads for retreading manufactured after 1 2. (BbFA) January 2010 shall not be placed on the market if they contain extender CAS No 205-99-2 oils exceeding the limits indicated in paragraph 1. These limits shall be regarded as kept, if the vulcanised rubber compounds do not exceed the limit of 0,35 % Bay protons as measured (f) Benzo[j]fluoranthene (BjFA) CAS No 205-82-3 and calculated by ISO 21461 (Rubber vulcanised - Determination of aromaticity of oil in vulcanised rubber compounds). (g) Benzo[k]fluoranthene 3. By way of derogation, paragraph 2 shall not apply to retreaded tyres if (BkFA) their tread does not contain extender oils exceeding the limits referred to in CAS No 207-08-9 paragraph 1. For the purpose of this entry 'tyres' shall mean tyres for vehicles 4. (h) Dibenzo[a,h]anthracene covered by: (DBAhA) Directive 2007/46/EC of the European Parliament and of the Council CAS No 53-70-3 of 5 September 2007 establishing a framework for the approval of motor vehicles and their trailers. Directive 2003/37/EC of the European Parliament and of the Council of 26 May 2003 on type-approval of agricultural or forestry tractors, their trailers and interchangeable towed machinery, together with their

- Directive 2002/24/EC of the European Parliament and of the Council

systems, components and separate technical units, and

Mitthe and the anticipation of the actual of the state of



VALT

ONGCAI TESTING

of 18 March 2002 relating to the type-approval of two or three-wheel motor vehicles and repealing Council Directive 92/61/EEC.

5. Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.

Such articles include amongst others:

- sport equipment such as bicycles, golf clubs, racquets
- household utensils, trolleys, walking frames
- tools for domestic use
- clothing, footwear, gloves and sportswear
- watch-straps, wrist-bands, masks, head-bands

6. Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.

7. By way of derogation from paragraphs 5 and 6, these paragraphs shall not apply to articles placed on the market for the first time before 27 December 2015.

8. By 27 December 2017, the Commission shall review the limit values in paragraphs 5 and 6 in the light of new scientific information, including migration of PAHs from the articles referred to therein, and information on alternative raw materials and, if appropriate, modify these paragraphs accordingly.

9. Granules or mulches shall not be placed on the market for use as infill material in synthetic turf pitches or in loose form on playgrounds or in sport applications if they contain more than 20 mg/kg (0,002 % by weight) of the sum of all listed PAHs.

10. Granules or mulches shall not be used as infill material in synthetic turf pitches or in loose form on playgrounds or in sport applications if they contain more than 20 mg/kg (0,002 % by weight) of the sum of all listed PAHs.

11. Granules or mulches placed on the market for use as infill material in synthetic turf pitches or in loose form on playgrounds or in sport applications shall be marked with a unique identification number of the batch.

12. Paragraphs 9 to 11 shall apply from 10 August 2022.

13. Granules or mulches that are in use in the Union on 9 August 2022 as infill material in synthetic turf pitches or in loose form on playgrounds or

Carly Could to a bear

A logities of the standard for a first a standard on the standard on the standard of the second standard of the



the same purpose. 14. For the purposes of paragraphs 9 to 13: a. "granules" are mixtures that appear as solid particles in the size rang
a. "granules" are mixtures that appear as solid particles in the size range
from 1 to 4 mm, which are made from rubber or other vulcanised
polymeric material of recycled or virgin origin, or obtained from
natural source;
b. "mulches" are mixtures that appear as flake-shaped solid particles
the size range from 4 to 130 mm length and 10 to 15 mm width, which
are made from rubber or other vulcanised or polymeric material
recycled or virgin origin, or obtained from a natural source;
c. "infill material in synthetic turf pitches" consists of granules used
synthetic turf pitches to improve the sport technical performance
characteristics of the turf system;
d. "use in loose form on playgrounds or in sport applications" is an
use of granules or mulches in loose form on playgrounds or for spo
purposes other than as infill material in synthetic turf pitches.'
1. Shall not be used as substances or in mixtures, individually or in ar
combination of the phthalates listed in column 1 of this entry, in
concentration equal to or greater than 0,1 % by weight of the plasticise
material, in toys and childcare articles.
2. Shall not be placed on the market in tovs or childcare article
51. individually or in any combination of the first three phthalates listed
Bis(2-ethylhexyl) phthalate column 1 of this entry, in a concentration equal to or greater than 0,1 % b
(DEHP) weight of the plasticised material.
CAS No.: 117-81-7 In addition, DIBP shall not be placed on the market after 7 July 2020
EC No.: 204-211-0 toys or childcare articles, individually or in any combination with the fir
Dibutyl phthalate (DBP) three phthalates listed in column 1 of this entry, in a concentration equal the
CAS No.: 84-74-2
EC No.: 201-557-4 3. Shall not be placed on the market after 7 July 2020 in article
individually or in any combination of the phthalates listed in column 1
Benzyl butyl phthalate (BBP) this entry, in a concentration equal to or greater than 0,1 % by weight
CAS No.: 85-68-7
EC No.: 201-622-7 4. Paragraph 3 shall not apply to:
(a) articles exclusively for industrial or agricultural use, or for us
Diisobutyl phthalate (DIBP)
contact with human mucous membranes or into prolonged contact with
CAS No.: 84-69-5 FC No.: 201 553 2
EC No.: 201-553-2 (b) aircraft, placed on the market before 7 January 2024, or article
whenever placed on the market, for use exclusively in the maintenance
repair of those aircraft, where those articles are essential for the safe
repair of those aircraft, where those articles are essential for the safe and airworthiness of the aircraft;

EL

INGCAI



	the market before 7 January 2024, or articles, whenever placed on the
	market, for use exclusively in the maintenance or repair of those vehicles,
	where the vehicles cannot function as intended without those articles;
	(d) articles placed on the market before 7 July 2020;
	(e) measuring devices for laboratory use, or parts thereof;
	(f) materials and articles intended to come into contact with food within
	the scope of Regulation (EC) No 1935/2004 or Commission Regulation
	(EU) No 10/2011;
	(g) medical devices within the scope of Directives 90/385/EEC,
	93/42/EEC or 98/79/EC, or parts thereof;
	(h) electrical and electronic equipment within the scope of Directive
	2011/65/EU;
	(i) the immediate packaging of medicinal products within the scope of
	Regulation (EC) No 726/2004, Directive 2001/82/EC or Directive
	2001/83/EC;
	(j) toys and childcare articles covered by paragraphs 1 or 2.
	5. For the purposes of paragraphs 1, 2, 3 and 4(a),
	(a) 'plasticised material' means any of the following homogeneous
	materials:
	- polyvinyl chloride (PVC), polyvinylidene chloride (PVDC),polyvinyl
	acetate (PVA), polyurethanes,
	- any other polymer (including, inter alia, polymer foams and rubber
	material) except silicone rubber and natural latex coatings,
	— surface coatings, non-slip coatings, finishes, decals, printed designs,
	 adhesives, sealants, paints and inks.
	(b) 'prolonged contact with human skin' means continuous contact of
	more than 10 minutes duration or intermittent contact over a period of 30
	minutes, per day.
	(c) 'childcare article' shall mean any product intended to facilitate sleep,
	relaxation, hygiene, the feeding of children or sucking on the part of
	children.
	6. For the purposes of paragraph 4(b), 'aircraft' means one of the
	following:
	(a) a civil aircraft produced in accordance with a type certificate issued
	under Regulation (EC) No 216/2008 or with a design approval issued
	under the national regulations of a contracting State of the International
	Civil Aviation Organisation (ICAO), or for which a certificate of
	airworthiness has been issued by an ICAO contracting State under Annex
	8 to the Convention on International Civil Aviation, signed on December 7,
	1944 , in Chicago;
	(b) a military aircraft.
52. The following phthalates	1. Shall not be used as substances or in mixtures, in concentrations
(or other CAS- and EC numbers	greater than 0,1 % by weight of the plasticised material, in toys and



TEST

ONGCAI



covering the substance): (a) Di-'isononyl' phthalate (DINP) CAS No 28553-12-0 and 68515-48-0 EC No 249-079-5 and 271-090-9 (b) Di-'isodecyl' phthalate (DIDP) CAS No 26761-40-0 and 68515-49-1 EC No 247-977-1 and 271-091-4 (c) Di-n-octyl phthalate (DNOP) CAS No 117-84-0 EC No 204-214-7	 childcare articles which can be placed in the mouth by children. Such toys and childcare articles containing these phthalates in a concentration greater than 0,1 % by weight of the plasticised material shall not be placed on the market. For the purpose of this entry 'childcare article' shall mean any product intended to facilitate sleep, relaxation, hygiene, the feeding of children or sucking on the part of children.
54. 2-(2-methoxyethoxy)ethanol (DEGME) CAS No 111-77-3 EC No 203-906-6	Shall not be placed on the market after 27 June 2010, for supply to the general public, as a constituent of paints, paint strippers, cleaning agents, self-shining emulsions or floor sealants in concentrations equal to or greater than 0,1 % by weight.
55. 2-(2-butoxyethoxy)ethanol (DEGBE) CAS No 112-34-5 EC No 203-961-6	 Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of spray paints or spray cleaners in aerosol dispensers in concentrations equal to or greater than 3 % by weight. Spray paints and spray cleaners in aerosol dispensers containing DEGBE and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that paints other than spray paints containing DEGBE in concentrations equal to or greater than 3 % by weight of that are placed on the market for supply to the general public are visibly, legibly and indelibly marked by 27 December 2010 as follows:
56. Methylenediphenyl diisocyanate (MDI) CAS No 26447-40-5	1. Shall not be placed on the market after 27 December 2010, as a constituent of mixtures in concentrations equal to or greater than 0,1 % by weight of MDI for supply to the general public, unless suppliers shall
EC No 247-714-0	ensure before the placing on the market that the packaging:

different frankriger



in

IONGCAI TESTINC including the following specific contains protective gloves which comply with the requirements of (a) Council Directive 89/686/EEC; isomers: is marked visibly, legibly and indelibly as follows, and without (a) 4,4'-Methylenediphenyl (b) prejudice to other Community legislation concerning the classification, diisocyanate: CAS No 101-68-8 packaging and labelling of substances and mixtures: EC No 202-966-0; Persons already sensitised to diisocyanates may develop allergic (b) 2,4'-Methylenediphenyl reactions when using this product. diisocyanate: Persons suffering from asthma, eczema or skin problems should CAS No 5873-54-1 avoid contact, including dermal contact, with this product. EC No 227-534-9; This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. (c) 2,2'-Methylenediphenyl type A1 according to standard EN 14387) is used. diisocyanate: CAS No 2536-05-2 2. By way of derogation, paragraph 1(a) shall not apply to hot melt EC No 219-799-4 adhesives. 1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of neoprene-based contact adhesives in concentrations equal to or greater than 0,1 % by weight in package sizes greater than 350 g. 2. Neoprene-based contact adhesives containing cyclohexane and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010. 57. Cyclohexane 3. Without prejudice to other Community legislation concerning the CAS No 110-82-7 classification, packaging and labelling of substances and mixtures, EC No 203-806-2 suppliers shall ensure before the placing on the market that contact adhesives neoprene-based containing cyclohexane concentrations equal to or greater than 0,1 % by weight that are placed on the market for supply to the general public after 27 December 2010 are visibly, legibly and indelibly marked as follows: This product is not to be used under conditions of poor ventilation. This product is not to be used for carpet laying.

1. Shall not be placed on the market for the first time after 27 June 2010 as a substance, or in mixtures that contain more than 28 % by weight of nitrogen in relation to ammonium nitrate, for use as a solid fertiliser, 58. Ammonium nitrate (AN) CAS No 6484-52-2 straight or compound, unless the fertiliser complies with the technical EC No 229-347-8 provisions for ammonium nitrate fertilisers of high nitrogen content set out in Annex III to Regulation (EC) No 2003/2003 of the European Parliament and of the Council. 1. Paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall not be: 59. Dichloromethane (a) placed on the market for the first time for supply to the general public CAS No 75-09-2 or to professionals after 6 December 2010; EC No: 200-838-9 placed on the market for supply to the general public or to (b)

professionals after 6 December 2011;



The loss of the second se



NALT

ONGCAI TESTING

(c) used by professionals after 6 June 2012.

For the purposes of this entry:

 (i) 'professional' means any natural or legal person, including workers and self-employed workers undertaking paint stripping in the course of their professional activity outside an industrial installation;

(ii) 'industrial installation' means a facility used for paint stripping activities.

2. By way of derogation from paragraph 1, Member States may allow on their territories and for certain activities the use, by specifically trained professionals, of paint strippers containing dichloromethane and may allow the placing on the market of such paint strippers for supply to those professionals.

Member States making use of this derogation shall define appropriate provisions for the protection of the health and safety of those professionals using paint strippers containing dichloromethane and shall inform the Commission thereof.

Those provisions shall include a requirement that a professional shall hold a certificate that is accepted by the Member State in which that professional operates, or provide other documentary evidence to that effect, or be otherwise approved by that Member State, so as to demonstrate proper training and competence to safely use paint strippers containing dichloromethane.

The Commission shall prepare a list of the Member States which have made use of the derogation in this paragraph and make it publicly available over the Internet.

3. A professional benefiting from the derogation referred to in paragraph 2 shall operate only in Member States which have made use of that derogation. The training referred to in paragraph 2 shall cover as a minimum:

(a) awareness, evaluation and management of risks to health, including information on existing substitutes or processes, which under their conditions of use are less hazardous to the health and safety of workers;

(b) use of adequate ventilation;

(c) use of appropriate personal protective equipment that complies with Directive 89/686/EEC.

Employers and self-employed workers shall preferably replace dichloromethane with a chemical agent or process which, under its conditions of use, presents no risk, or a lower risk, to the health and safety of workers.

Professional shall apply all relevant safety measures in practice, including the use of personal protective equipment.

4. Without prejudice to other Community legislation on workers protection, paint strippers containing dichloromethane in concentrations

all Gall trades been



 installations only if the following minimum conditions are met: (a) effective ventilation in all processing areas, in particular for the wet processing and the drying of stripped articles: local exhaust ventilation at strip tanks supplemented by forced ventilation in those areas, so as to minimise exposure and to ensure compliance, where technically feasible, with relevant occupational exposure limits; (b) measures to minimise evaporation from strip tanks comprising: lids for covering strip tanks except during loading and unloading; suitable loading and unloading arrangements for strip tanks; and wash tanks with water or brine to remove excess solvent after unloading; (c) measures for the safe handling of dichloromethane in strip tanks comprising: pumps and pipework for transferring paint stripper to and from strip tanks; and suitable arrangements for safe cleaning of tanks and removal of sludge; (d) personal protective equipment that complies with Directive 89/686/EEC comprising: suitable protective gloves, safety goggles and protective clothing; and appropriate respiratory protective equipment where compliance with relevant occupational exposure limits cannot be otherwise achieved; (e) adequate information, instruction and training for operators in the use of such equipment. 5. Without prejudice to other Community provisions concerning the classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: Restricted to industrial use and to professionals approved in certain EU Member States — verify where use is allowed.' 60. Acrylamide CAS No 79-06-1 		equal to or greater than 0,1 % by weight may be used in industrial
processing and the drying of stripped articles: local exhaust ventilation at strip tanks supplemented by forced ventilation in those areas, so as to minimise exposure and to ensure compliance, where technically feasible, with relevant occupational exposure limits; (b) measures to minimise evaporation from strip tanks comprising: lids for covering strip tanks except during loading and unloading; suitable loading and unloading arrangements for strip tanks; and wash tanks with water or brine to remove excess solvent after unloading; (c) measures for the safe handling of dichloromethane in strip tanks comprising: pumps and pipework for transferring paint stripper to and from strip tanks; and suitable arrangements for safe cleaning of tanks and removal of sludge; (d) personal protective equipment that complies with Directive 89/686/EEC comprising: suitable protective gloves, safety goggles and protective clothing; and appropriate respiratory protective equipment where compliance with relevant occupational exposure limits cannot be otherwise achieved; (e) adequate information, instruction and training for operators in the use of such equipment. 5. Without prejudice to other Community provisions concerning the classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: 60. Acrylamide CAS No 79-06-1 Shall not be placed on the market or used as a substance or constituent of mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012.		
 strip tanks supplemented by forced ventilation in those areas, so as to minimise exposure and to ensure compliance, where technically feasible, with relevant occupational exposure limits; (b) measures to minimise evaporation from strip tanks comprising: lids for covering strip tanks except during loading and unloading; suitable loading and unloading arrangements for strip tanks; and wash tanks with water or brine to remove excess solvent after unloading; (c) measures for the safe handling of dichloromethane in strip tanks comprising: pumps and pipework for transferring paint stripper to and from strip tanks; and suitable arrangements for safe cleaning of tanks and removal of sludge; (d) personal protective equipment that complies with Directive 89/686/EEC comprising: suitable protective gloves, safety goggles and protective clothing; and appropriate respiratory protective equipment where compliance with relevant occupational exposure limits cannot be otherwise achieved; (e) adequate information, instruction and training for operators in the use of such equipment. 5. Without prejudice to other Community provisions concerning the classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: Restricted to industrial use and to professionals approved in certain EU Member States — verify where use is allowed.¹ Shall not be placed on the market or used as a substance or constituent of mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012. 		
 minimise exposure and to ensure compliance, where technically feasible, with relevant occupational exposure limits; (b) measures to minimise evaporation from strip tanks comprising: lids for covering strip tanks except during loading and unloading; suitable loading and unloading arrangements for strip tanks; and wash tanks with water or brine to remove excess solvent after unloading; (c) measures for the safe handling of dichloromethane in strip tanks comprising: pumps and pipework for transferring paint stripper to and from strip tanks; and suitable arrangements for safe cleaning of tanks and removal of sludge; (d) personal protective equipment that complies with Directive 89/686/EEC comprising: suitable protective gloves, safety goggles and protective clothing; and appropriate respiratory protective equipment where compliance with relevant occupational exposure limits cannot be otherwise achieved; (e) adequate information, instruction and training for operators in the use of such equipment. 5. Without prejudice to other Community provisions concerning the classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: Restricted to industrial use and to professionals approved in certain EU Member States — verify where use is allowed.' 60. Acrylamide CAS No 79-06-1 		
 with relevant occupational exposure limits; (b) measures to minimise evaporation from strip tanks comprising: lids for covering strip tanks except during loading and unloading; suitable loading and unloading arrangements for strip tanks; and wash tanks with water or brine to remove excess solvent after unloading; (c) measures for the safe handling of dichloromethane in strip tanks comprising: pumps and pipework for transferring paint stripper to and from strip tanks; and suitable arrangements for safe cleaning of tanks and removal of sludge; (d) personal protective equipment that complies with Directive 89/686/EEC comprising: suitable protective gloves, safety goggles and protective clothing; and appropriate respiratory protective equipment where compliance with relevant occupational exposure limits cannot be otherwise achieved; (e) adequate information, instruction and training for operators in the use of such equipment. 5. Without prejudice to other Community provisions concerning the classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: 60. Acrylamide CAS No 79-06-1 		
 (b) measures to minimise evaporation from strip tanks comprising: lids for covering strip tanks except during loading and unloading; suitable loading and unloading arrangements for strip tanks; and wash tanks with water or brine to remove excess solvent after unloading; (c) measures for the safe handling of dichloromethane in strip tanks comprising: pumps and pipework for transferring paint stripper to and from strip tanks; and suitable arrangements for safe cleaning of tanks and removal of sludge; (d) personal protective equipment that complies with Directive 89/686/EEC comprising: suitable protective gloves, safety goggles and protective clothing; and appropriate respiratory protective equipment where compliance with relevant occupational exposure limits cannot be otherwise achieved; (e) adequate information, instruction and training for operators in the use of such equipment. 5. Without prejudice to other Community provisions concerning the classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: 60. Acrylamide CAS No 79-06-1 60. Acrylamide CAS No 79-06-1 		
for covering strip tanks except during loading and unloading; suitable loading and unloading arrangements for strip tanks; and wash tanks with water or brine to remove excess solvent after unloading; (c) measures for the safe handling of dichloromethane in strip tanks; comprising: pumps and pipework for transferring paint stripper to and from strip tanks; and suitable arrangements for safe cleaning of tanks and removal of sludge; (d) personal protective equipment that complies with Directive 89/686/EEC comprising: suitable protective gloves, safety goggles and protective clothing; and appropriate respiratory protective equipment where compliance with relevant occupational exposure limits cannot be otherwise achieved; (e) adequate information, instruction and training for operators in the use of such equipment. 5. Without prejudice to other Community provisions concerning the classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: 60. Acrylamide CAS No 79-06-1 Shall not be placed on the market or used as a substance or constituent of mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012.		
Ioading and unloading arrangements for strip tanks; and wash tanks with water or brine to remove excess solvent after unloading; (c) measures for the safe handling of dichloromethane in strip tanks comprising: pumps and pipework for transferring paint stripper to and from strip tanks; and suitable arrangements for safe cleaning of tanks and removal of sludge; (d) personal protective equipment that complies with Directive 89/686/EEC comprising: suitable protective gloves, safety goggles and protective clothing; and appropriate respiratory protective equipment where compliance with relevant occupational exposure limits cannot be otherwise achieved; (e) adequate information, instruction and training for operators in the use of such equipment. 5. Without prejudice to other Community provisions concerning the classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: 'Restricted to industrial use and to professionals approved in certain EU Member States — verify where use is allowed.'60.Acrylamide CAS No 79-06-161.Shall not be placed on the market or used as a substance or constituent of mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012.		
 water or brine to remove excess solvent after unloading; (c) measures for the safe handling of dichloromethane in strip tanks comprising: pumps and pipework for transferring paint stripper to and from strip tanks; and suitable arrangements for safe cleaning of tanks and removal of sludge; (d) personal protective equipment that complies with Directive 89/686/EEC comprising: suitable protective gloves, safety goggles and protective clothing; and appropriate respiratory protective equipment where compliance with relevant occupational exposure limits cannot be otherwise achieved; (e) adequate information, instruction and training for operators in the use of such equipment. 5. Without prejudice to other Community provisions concerning the classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: 'Restricted to industrial use and to professionals approved in certain EU Member States — verify where use is allowed.' 60. Acrylamide CAS No 79-06-1 Shall not be placed on the market or used as a substance or constituent of mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012. 		
(c)measures for the safe handling of dichloromethane in strip tanks comprising: pumps and pipework for transferring paint stripper to and from strip tanks; and suitable arrangements for safe cleaning of tanks and removal of sludge; (d)(d)personal protective equipment that complies with Directive 89/686/EEC comprising: suitable protective gloves, safety goggles and protective clothing; and appropriate respiratory protective equipment where compliance with relevant occupational exposure limits cannot be otherwise achieved; (e)(e)adequate information, instruction and training for operators in the use of such equipment.5.Without prejudice to other Community provisions concerning the classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: "Restricted to industrial use and to professionals approved in certain EU Member States — verify where use is allowed."60.Acrylamide CAS No 79-06-161.Shall not be placed on the market or used as a substance or constituent of mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012.		
comprising: pumps and pipework for transferring paint stripper to and from strip tanks; and suitable arrangements for safe cleaning of tanks and removal of sludge;(d) personal protective equipment that complies with Directive 89/686/EEC comprising: suitable protective gloves, safety goggles and protective clothing; and appropriate respiratory protective equipment where compliance with relevant occupational exposure limits cannot be otherwise achieved;(e) adequate information, instruction and training for operators in the use of such equipment.5. Without prejudice to other Community provisions concerning the classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: "Restricted to industrial use and to professionals approved in certain EU Member States — verify where use is allowed."60. Acrylamide CAS No 79-06-1Shall not be placed on the market or used as a substance or constituent of mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012.		
removal of sludge;(d) personal protective equipment that complies with Directive 89/686/EEC comprising: suitable protective gloves, safety goggles and protective clothing; and appropriate respiratory protective equipment where compliance with relevant occupational exposure limits cannot be otherwise achieved;(e) adequate information, instruction and training for operators in the use of such equipment.5. Without prejudice to other Community provisions concerning the classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows:60. Acrylamide CAS No 79-06-1Shall not be placed on the market or used as a substance or constituent of mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012.		
(d) personal protective equipment that complies with Directive 89/686/EEC comprising: suitable protective gloves, safety goggles and protective clothing; and appropriate respiratory protective equipment where compliance with relevant occupational exposure limits cannot be otherwise achieved; (e) adequate information, instruction and training for operators in the use of such equipment. 5. Without prejudice to other Community provisions concerning the classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: 'Restricted to industrial use and to professionals approved in certain EU Member States — verify where use is allowed. '60. Acrylamide CAS No 79-06-1Shall not be placed on the market or used as a substance or constituent of mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012.		strip tanks; and suitable arrangements for safe cleaning of tanks and
89/686/EEC comprising: suitable protective gloves, safety goggles and protective clothing; and appropriate respiratory protective equipment where compliance with relevant occupational exposure limits cannot be otherwise achieved; (e) adequate information, instruction and training for operators in the use of such equipment. 5. Without prejudice to other Community provisions concerning the classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: 'Restricted to industrial use and to professionals approved in certain EU Member States — verify where use is allowed.'60. Acrylamide CAS No 79-06-1Shall not be placed on the market or used as a substance or constituent of mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012.		removal of sludge;
protective clothing; and appropriate respiratory protective equipment where compliance with relevant occupational exposure limits cannot be otherwise achieved; (e) adequate information, instruction and training for operators in the use of such equipment.5.Without prejudice to other Community provisions concerning the classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: 'Restricted to industrial use and to professionals approved in certain EU Member States — verify where use is allowed. '60.Acrylamide CAS No 79-06-161.Shall not be placed on the market or used as a substance or constituent of mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012.		(d) personal protective equipment that complies with Directive
where compliance with relevant occupational exposure limits cannot be otherwise achieved; (e) adequate information, instruction and training for operators in the use of such equipment.5.Without prejudice to other Community provisions concerning the classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: 'Restricted to industrial use and to professionals approved in certain EU Member States — verify where use is allowed. '60.Acrylamide CAS No 79-06-161.Shall not be placed on the market or used as a substance or constituent of mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012.		89/686/EEC comprising: suitable protective gloves, safety goggles and
otherwise achieved; (e) adequate information, instruction and training for operators in the use of such equipment.5. Without prejudice to other Community provisions concerning the classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: 'Restricted to industrial use and to professionals approved in certain EU Member States — verify where use is allowed. '60. Acrylamide CAS No 79-06-1Shall not be placed on the market or used as a substance or constituent of mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012.		protective clothing; and appropriate respiratory protective equipment
(e) adequate information, instruction and training for operators in the use of such equipment.5. Without prejudice to other Community provisions concerning the classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: 'Restricted to industrial use and to professionals approved in certain EU Member States — verify where use is allowed. '60. Acrylamide CAS No 79-06-1Shall not be placed on the market or used as a substance or constituent of mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012.		
of such equipment.5. Without prejudice to other Community provisions concerning the classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: 'Restricted to industrial use and to professionals approved in certain EU Member States — verify where use is allowed. '60. Acrylamide CAS No 79-06-1Shall not be placed on the market or used as a substance or constituent of mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012.		
5. Without prejudice to other Community provisions concerning the classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: 'Restricted to industrial use and to professionals approved in certain EU Member States — verify where use is allowed. '60. Acrylamide CAS No 79-06-1Shall not be placed on the market or used as a substance or constituent of mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012.		
classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: 		
December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: 		
concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: 'Restricted to industrial use and to professionals approved in certain EU Member States — verify where use is allowed. '60. Acrylamide CAS No 79-06-1Shall not be placed on the market or used as a substance or constituent of mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012.		
legibly and indelibly marked as follows: 'Restricted to industrial use and to professionals approved in certain EU Member States — verify where use is allowed. ' 60. Acrylamide CAS No 79-06-1 Shall not be placed on the market or used as a substance or constituent of mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012.		
'Restricted to industrial use and to professionals approved in certain EU Member States — verify where use is allowed. '60. Acrylamide CAS No 79-06-1Shall not be placed on the market or used as a substance or constituent of mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012.		
Member States — verify where use is allowed. '60. Acrylamide CAS No 79-06-1Shall not be placed on the market or used as a substance or constituent of mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012.		
60. Acrylamide CAS No 79-06-1mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012.		
CAS No 79-06-1 mixtures in a concentration, equal to or greater than 0,1 % by weight for grouting applications after 5 November 2012.	CO Applemide	
grouting applications after 5 November 2012.		mixtures in a concentration, equal to or greater than 0,1 % by weight for
	CAS NO 79-06-1	grouting applications after 5 November 2012.
61. Dimethylfumarate (DMF)	61. Dimethylfumarate (DMF)	Shall not be used in articles or any parts thereof in concentrations greater
CAS No 624-49-7		
Articles or any parts thereof containing DMF in concentrations greater than		
0,1 mg/kg shall not be placed on the market.		
62. 1. Shall not be manufactured, placed on the market or used as substances or in mixtures after 10 October 2017 if the concentration of		
(a) Phenylmercury acetatesubstances or in mixtures after 10 October 2017 if the concentration ofEC No: 200-532-5mercury in the mixtures is equal to or greater than 0,01 % by weight.		
CAS No: 62-38-42.Articles or any parts thereof containing one or more of these		
substances shall not be placed on the market after 10 October 2017 if the		
(b) Phenylmercury propionate concentration of mercury in the articles or any part thereof is equal to or	(b) Phenylmercury propionate	
EC No: 203-094-3 greater than 0,01 % by weight.		





CAS No: 103-27-5	
(c) Phenylmercury	
2-ethylhexanoate	
EC No: 236-326-7	
CAS No: 13302-00-6	
(d) Phenylmercury octanoate	
EC No: -	
CAS No: 13864-38-5	
(e) Phenylmercury	
neodecanoate	
EC No: 247-783-7	
CAS No: 26545-49-3	
	1. Shall not be placed on the market or used in any individual part of
	jewellery articles if the concentration of lead (expressed as metal) in such
	a part is equal to or greater than 0,05 % by weight.
	2. For the purposes of paragraph 1:
	(i) 'jewellery articles' shall include jewellery and imitation jewellery
	articles and hair accessories, including:
	(a) bracelets, necklaces and rings;
	(b) piercing jewellery;
	(c) wrist watches and wrist-wear;
	(d) brooches and cufflinks;
	(ii) 'any individual part' shall include the materials from which the
	jewellery is made, as well as the individual components of the jewellery
63. Lead	articles.
CAS No 7439-92-1	
EC No 231-100-4	3. Paragraph 1 shall also apply to individual parts when placed on the
and its compounds	market or used for jewellery-making.
	4. By way of derogation, paragraph 1 shall not apply to:
	(a) crystal glass as defined in Annex I (categories 1, 2, 3 and 4) to
	Council Directive 69/493/EEC;
	(b) internal components of watch timepieces inaccessible to consumers;
	(c) non-synthetic or reconstructed precious and semiprecious stones
	(CN code 7103 , as established by Regulation (EEC) No 2658/87), unless
	they have been treated with lead or its compounds or mixtures containing
	these substances;
	(d) enamels, defined as vitrifiable mixtures resulting from the fusion,
	vitrification or sintering of minerals melted at a temperature of at least
	500 °C.

A the second based on a second second second based on the second se



ONGEAI

different frankrige

5. By way of derogation, paragraph 1 shall not apply to jewellery articles placed on the market for the first time before 9 October 2013 and jewellery articles produced before 10 December 1961.

TESTINE

6. By 9 October 2017, the Commission shall re-evaluate paragraphs 1 to 5 of this entry in the light of new scientific information, including the availability of alternatives and the migration of lead from the articles referred to in paragraph 1 and, if appropriate, modify this entry accordingly.

7. Shall not be placed on the market or used in articles supplied to the general public, if the concentration of lead (expressed as metal) in those articles or accessible parts thereof is equal to or greater than 0,05 % by weight, and those articles or accessible parts thereof may, during normal or reasonably foreseeable conditions of use, be placed in the mouth by children.

That limit shall not apply where it can be demonstrated that the rate of lead release from such an article or any such accessible part of an article, whether coated or uncoated, does not exceed 0,05 μ g/cm² per hour (equivalent to 0,05 μ g/g/h), and, for coated articles, that the coating is sufficient to ensure that this release rate is not exceeded for a period of at least two years of normal or reasonably foreseeable conditions of use of the article.

For the purposes of this paragraph, it is considered that an article or accessible part of an article may be placed in the mouth by children if it is smaller than 5 cm in one dimension or has a detachable or protruding part of that size.

8. By way of derogation, paragraph 7 shall not apply to:

(a) jewellery articles covered by paragraph 1;

(b) crystal glass as defined in Annex I (categories 1, 2, 3 and 4) to Directive 69/493/EEC;

(c) non-synthetic or reconstructed precious and semi-precious stones (CN code 7103 as established by Regulation (EEC) No 2658/87) unless they have been treated with lead or its compounds or mixtures containing these substances;

(d) enamels, defined as vitrifiable mixtures resulting from the fusion, vitrification or sintering of mineral melted at a temperature of at least 500 $^{\circ}$ C;

(e) keys and locks, including padlocks;

(f) musical instruments;

(g) articles and parts of articles comprising brass alloys, if the concentration of lead (expressed as metal) in the brass alloy does not



Mithean Michaeline action Middaecho an Middaecho al Michael Michaeline action 100 Steal



ONGCAI TESTING

exceed 0,5 % by weight;

- (h) the tips of writing instruments;
- (i) religious articles;
- (j) portable zinc-carbon batteries and button cell batteries;
- (k) articles within the scope of:
- (i) Directive 94/62/EC;
- (ii) Regulation (EC) No 1935/2004;
- (iii) Directive 2009/48/EC of the European Parliament and of the Council;
- (iv) Directive 2011/65/EU of the European Parliament and of the Council.

9. By 1 July 2019, the Commission shall re-evaluate paragraphs 7 and 8(e), (f), (i) and (j) of this entry in the light of new scientific information, including the availability of alternatives and the migration of lead from the articles referred to in paragraph 7, including the requirement on coating integrity, and, if appropriate, modify this entry accordingly.

10. By way of derogation paragraph 7 shall not apply to articles placed on the market for the first time before 1 June 2016.

11. Doing either of the following acts after 15 February 2023 in or within100 metres of wetlands is prohibited:

(a) discharging gunshot containing a concentration of lead (expressed as metal) equal to or greater than 1 % by weight;

(b) carrying any such gunshot where this occurs while out wetland shooting or as part of going wetland shooting.

For the purposes of the first subparagraph:

(a) 'within 100 metres of wetlands' means within 100 metres outward from any outer boundary point of a wetland;

(b) 'wetland shooting' means shooting in or within 100 metres of wetlands;

(c) if a person is found carrying gunshot in or within 100 metres of wetlands while out shooting or as part of going shooting, the shooting concerned shall be presumed to be wetland shooting unless that person can demonstrate that it was some other type of shooting.

The restriction laid down in the first subparagraph shall not apply in a Member State if that Member State notifies the Commission in accordance with paragraph 12 that it intends to make use of the option granted by that paragraph.

12. If at least 20 % in total of the territory, excluding the territorial waters, of a Member State are wetlands, that Member State may, in place of the restriction laid down in the first subparagraph of paragraph 11, prohibit the following acts throughout the whole of its territory from 15 February 2024:



UNGCAI TESTIN

(a) the placing on the market of gunshot containing a concentration of lead (expressed as metal) equal to or greater than 1 % by weight;

(b) the discharging of any such gunshot;

(c) carrying any such gunshot while out shooting or as part of going shooting.

Any Member State intending to make use of the option granted by the first subparagraph shall notify the Commission of this intention by 15 August 2021. The Member State shall communicate the text of the national measures adopted by it to the Commission without delay and in any event by 15 August 2023. The Commission shall make publicly available without delay any such notices of intention and texts of national measures received by it.

13. For the purposes of paragraphs 11 and 12:

(a) 'wetlands' means areas of marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, including areas of marine water the depth of which at low tide does not exceed 6 metres;

(b) 'gunshot' means pellets used or intended for use in a single charge or cartridge in a shotgun;

(c) 'shotgun' means a smooth-bore gun, excluding airguns;

(d) 'shooting' means any shooting with a shotgun;

(e) 'carrying' means any carrying on the person or carrying or transporting by any other means;

(f) in determining whether a person found with gunshot is carrying gunshot 'as part of going shooting':

(i) regard shall be had to all the circumstances of the case;

(ii) the person found with the gunshot need not necessarily be the same person as the person shooting.

14. Member States may maintain national provisions for protection of the environment or human health in force on 15 February 2021 and restricting lead in gunshot more severely than provided for in paragraph 11.

The Member State shall communicate the text of those national provisions to the Commission without delay. The Commission shall make publicly available without delay any such texts of national provisions received by it.

15. Shall not be placed on the market or used in articles produced from polymers or copolymers of vinyl chloride ('PVC'), if the concentration of lead is equal to or greater than 0,1 % by weight of the PVC material.

16. Paragraph 15 shall apply with effect from 29 November 2024.



The address of the statistic of a disting the statistic of the statistic o

UNGCAI TESTINI

17. By way of derogation, paragraph 15 shall not apply to PVC articles containing recovered flexible PVC until 28 May 2025.

18. By way of derogation, paragraph 15 shall not apply to the following PVC articles containing recovered rigid PVC until 28 May 2033, if the concentration of lead is lower than 1,5 % by weight of the recovered rigid PVC:

(a) profiles and sheets for exterior applications in buildings and civil engineering works, excluding decks and terraces;

(b) profiles and sheets for decks and terraces, provided that the recovered PVC is used in a middle layer and is entirely covered with a layer of PVC or other material for which the concentration of lead is lower than 0,1 % by weight;

(c) profiles and sheets for use in concealed spaces or voids in buildings and civil engineering works (where they are inaccessible during normal use, excluding maintenance, for example, cable ducts);

(d) profiles and sheets for interior building applications, provided that the entire surface of the profile or sheet facing the occupied areas of a building after installation is produced using PVC or other material for which the concentration of lead is lower than 0,1 % by weight;

(e) multi-layer pipes (excluding pipes for drinking water), provided that the recovered PVC is used in a middle layer and is entirely covered with a layer of PVC or other material for which the concentration of lead is lower than 0,1 % by weight;

(f) fittings, excluding fittings for pipes for drinking water.

From 28 May 2026, rigid PVC recovered from the categories of articles referred to in points (a) to (d) shall only be used for the production of new articles of any of those categories.

Suppliers of PVC articles containing recovered rigid PVC with a concentration of lead equal to or greater than 0,1 % by weight of the PVC material shall ensure, before placing those articles on the market, that they are visibly, legibly and indelibly marked with the statement: "Contains \geq 0,1 % lead". Where the marking cannot be provided on the article due to the nature of the article, it shall be on the packaging of the article.

Suppliers of PVC articles containing recovered rigid PVC shall submit to national enforcement authorities upon request documentary evidence to substantiate the claims on the recovered origin of the PVC in those articles. Certificates issued by schemes to provide proof of traceability and recycled content, such as those developed according to EN 15343:2007 or equivalent recognised standards, may be used to substantiate such claims



HUNGCAI

TESTING



	for PVC articles produced in the Union. Claims made on the recovered origin of the PVC in imported articles shall be accompanied by a certificate that provides equivalent proof of traceability and recycled content, issued by an independent third party.
	By 28 May 2028, the Commission shall review this paragraph in light of new scientific information and, if appropriate, modify it accordingly.
	19. By way of derogation, paragraph 15 shall not apply to:
	(a) PVC-silica separators in lead acid batteries, until 28 May 2033;
	(b) articles covered by paragraph 1, in accordance with paragraphs 2 to 5, and by paragraph 7 in accordance with paragraphs 8 and 10;
	(c) articles within the scope of:
	(i) Regulation (EC) No 1935/2004;
	(ii) Directive 2011/65/EU;
	(iii) Directive 94/62/EC;
	(iv) Directive 2009/48/EC.
	20.By way of derogation, paragraph 15 shall not apply to PVC articles placed on the market until 28 November 2024.
64. 1,4-dichlorobenzene CAS No 106-46-7 EC No 203-400-5	Shall not be placed on the market or used, as a substance or as a constituent of mixtures in a concentration equal to or greater than 1 % by weight, where the substance or the mixture is placed on the market for use or used as an air freshener or deodoriser in toilets, homes, offices or other indoor public areas.
65. Inorganic ammonium salts	 Shall not be placed on the market, or used, in cellulose insulation mixtures or cellulose insulation articles after 14 July 2018 unless the emission of ammonia from those mixtures or articles results in a concentration of less than 3 ppm by volume (2,12 mg/m³) under the test conditions specified in paragraph 4. A supplier of a cellulose insulation mixture containing inorganic ammonium salts shall inform the recipient or consumer of the maximum permissible loading rate of the cellulose insulation mixture, expressed in thickness and density. A downstream user of a cellulose insulation mixture containing inorganic ammonium salts shall ensure that the maximum permissible loading rate communicated by the supplier is not exceeded. By way of derogation, paragraph 1 shall not apply to placing on the market of cellulose insulation articles, or to the use of those mixtures in the production of cellulose insulation articles.

different frankrige

68. Linear

formula

Any

thereof:

Any

(C9-C14 PFCAs),

combinations thereof;

C9-C14

C9-C14

Mithearth California and the actualities of a statistic and the actualities are a statistic and the second se



DNGCAI TESTINL In the case of a Member State that, on 14 July 2016, has national 3. provisional measures in place that have been authorised by the Commission pursuant to Article 129(2)(a), the provisions of paragraphs 1 and 2 shall apply from that date.

4. Compliance with the emission limit specified in the first subparagraph of paragraph 1 shall be demonstrated in accordance with Technical Specification CEN/TS 16516, adapted as follows:

(a) the duration of the test shall be at least 14 days instead of 28 days;

(b) the ammonia gas emission shall be measured at least once per day throughout the test;

the emission limit shall not be reached or exceeded in any (C) measurement taken during the test;

(d) the relative humidity shall be 90 % instead of 50 %;

(e) an appropriate method to measure the ammonia gas emission shall be used:

(f) the loading rate, expressed in thickness and density, shall be recorded during the sampling of the cellulose insulation mixtures or articles to be tested.

66. Bisphenol A Shall not be placed on the market in thermal paper in a concentration CAS No 80-05-7 equal to or greater than 0,02 % by weight after 2 January 2020. EC No 201-245-8

> 1. Shall not be manufactured, or placed on the market as substances on their own from 25 February 2023.

> 2. Shall not, from 25 February 2023, be used in, or placed on the market in:

(a) another substance, as a constituent;

(b) a mixture;

branched

 $CnF_{2n+1}-C(=O)OH$

PFCA-related

and perfluorocarboxylic acids of the

where n=8, 9, 10, 11, 12, or 13

including their salts, and any

substance having a perfluoro group with the formula CnF_{2n+1}- (c) an article,

except if the concentration in the substance, the mixture, or the article is below 25 ppb for the sum of C9-C14 PFCAs and their salts or 260 ppb for the sum of C9-C14 PFCA-related substances.

directly attached to another 3. By way of derogation to paragraph 2, the concentration limit shall be 10 ppm for the sum of C9-C14 PFCAs, their salts and C9-C14 PFCA related carbon atom, where n=8, 9, 10, 11, 12, or 13, including their substances, where they are present in a substance to be used as a salts and any combinations transported isolated intermediate, provided that the conditions in points (a) to (f) of Article 18(4) of this Regulation are met for the manufacturing of fluorochemicals with a perfluoro carbon chain length equal to or shorter than 6 atoms. The Commission shall review this limit no later than PFCA-related 25 August 2023. substance having a perfluoro



This is a the set of t



group with the formula CnF_{2n+1}that it is not directly attached to another carbon atom, where n= 9, 10, 11, 12, 13 or 14 as one of the structural elements, including their salts and any

The following substances are excluded from this designation -CnF_{2n+1}-X, where X= F, Cl, or Br

combinations thereof.

where n=9, 10, 11, 12, 13 or 14, including any

combinations thereof;

-CnF_{2n+1}-C(=O)OX' where n>13 and X'=any group, including salts.

4. Paragraph 2 shall apply from 4 July 2023 to :

DNGCAI TESTINC

(i) textiles for oil- and water-repellency for the protection of workers from dangerous liquids that comprise risks to their health and safety;

(ii) the manufacture of polytetrafluoroethylene (PTFE) and polyvinylidene fluoride (PVDF) for the production of :

-high performance, corrosion resistant gas filter membranes, water filter membranes and membranes for medical textiles;

- industrial waste heat exchanger equipment;

- industrial sealants capable of preventing leakage of volatile organic compounds and PM 2.5 particulates.

5. By way of derogation to paragraph 2, the use of C9-C14 PFCAs, their salts and C9-C14 PFCA-related substances shall be allowed until 4 July 2025 for:

(i) photolithography or etch processes in semiconductor manufacturing;(ii) photographic coatings applied to films;

(iii) invasive and implantable medical devices;

(iv) fire-fighting foam for liquid fuel vapour suppression and liquid fuel fire (Class B fires) already installed in systems, including both mobile and fixed systems, subject to the following conditions:

- fire-fighting foam that contains or may contain C9-C14 PFCAs, their salts and C9-C14 PFCA-related substances shall not be used for training;

- fire-fighting foam that contains or may contain C9-C14 PFCAs, their salts and C9-C14 PFCA-related substances shall not be used for testing unless all releases are contained;

- from 1 January 2023, uses of fire-fighting foam that contains or may contain C9-C14 PFCAs, their salts and C9-C14 PFCA-related substances shall only be allowed to sites where all releases can be contained;

- fire-fighting foam stockpiles that contain or may contain C9-C14 PFCAs, their salts and C9-C14 PFCA-related substances shall be managed in accordance with Article 5 of Regulation (EU) 2019/1021.

6. Paragraph 2(c) shall not apply to articles placed on the market before 25 February 2023.

7. Paragraph 2 shall not apply to the can coating for pressurised metered-dose inhalers until 25 August 2028.



DNGCAI

8. Paragraph 2 (c) shall apply from 31 December 2023 to:

(a) semiconductors on their own;

(b) semiconductors incorporated in semi-finished and finished electronic equipment.

TESTINE

9. Paragraph 2(c) shall apply from 31 December 2030 to semiconductors used in spare or replacement parts for finished electronic equipment placed on the market before 31 December 2023.

10. Until 25 August 2024, the concentration limit referred to in paragraph 2 shall be 2 000 ppb for the sum of C9-C14 PFCAs in fluoroplastics and fluoroelastomers that contain perfluoroalkoxy groups. From 25 August 2024, the concentration limit shall be 100 ppb for the sum of C9-C14 PFCAs, in fluoroplastics and fluoroelastomers that contain perfluoroalkoxy groups. All emissions of C9-C14 PFCAs during the manufacture and use of fluoroplastics and fluoroelastomers that contain perfluoroalkoxy groups shall be avoided and, if not possible, reduced as far as technically and practically possible. This derogation shall not apply to articles referred to in paragraph 2(c). The Commission shall review this derogation no later than 25 August 2024.

11. The concentration limit referred to in paragraph 2 shall be 1 000 ppb for the sum of C9-C14 PFCAs, where these are present in PTFE micro powders produced by ionising irradiation or by thermal degradation, as well as in mixtures and articles for industrial and professional uses containing PTFE micro powders. All emissions of C9-C14 PFCAs during the manufacture and use of PTFE micro powders shall be avoided and, if not possible, reduced as far as technically and practically possible. The Commission shall review this derogation no later than 25 August 2024.

12. For the purposes of this entry, C9-C14 PFCA-related substances are substances that, based on their molecular structure, are considered to have the potential to degrade or be transformed to C9-C14 PFCAs.

69. Methanol	Shall not be placed on the market to the general public after 9 May 2019 in
CAS No 67-56-1	windscreen washing or defrosting fluids, in a concentration equal to or
EC No 200-659-6	greater than 0,6 % by weight.
70.	1. Shall not be placed on the market in wash-off cosmetic products in a
Octamethylcyclotetrasiloxane	concentration equal to or greater than 0,1 % by weight of either substance,
(D4)	after 31 January 2020.

and Cold transferances

TESTING



HUNGCAI

CAS No 556-67-2 EC No 209-136-7	2. For the purposes of this entry, 'wash-off cosmetic products' means cosmetic products as defined in Article 2(1)(a) of Regulation (EC) No
Decamethylcyclopentasiloxane	1223/2009 that, under normal conditions of use, are washed off with water after application.
(D5)	
CAS No 541-02-6	
EC No 208-764-9	
71. 1-methyl-2-pyrrolidone (NMP) CAS No 872-50-4 EC No 212-828-1	 Shall not be placed on the market as a substance on its own or in mixtures in a concentration equal to or greater than 0,3 % after 9 May 2020 unless manufacturers, importers and downstream users have included in the relevant chemical safety reports and safety data sheets, Derived No-Effect Levels (DNELs) relating to exposure of workers of 14,4 mg/m3 for exposure by inhalation and 4,8 mg/kg/day for dermal exposure. Shall not be manufactured, or used, as a substance on its own or in mixtures in a concentration equal to or greater than 0,3 % after 9 May 2020 unless manufacturers and downstream users take the appropriate risk management measures and provide the appropriate operational conditions to ensure that exposure of workers is below the DNELs apprified in paragraph 1
	specified in paragraph 1.By way of derogation from paragraphs 1 and 2, the obligations laid
	down therein shall apply from 9 May 2024 in relation to placing on the
	market for use, or use, as a solvent or reactant in the process of coating
	wires.
	1. Shall not be placed on the market after 1 November 2020 in any of the following:
	(a) clothing or related accessories;
	(b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing;
	(c) footwear; if the clothing, related accessory, textile other than clothing or footwear is
72. The substances listed in column 1 of the Table in Appendix 12	for use by consumers and the substance is present in a concentration, measured in homogeneous material, equal to or greater than that specified for that substance in Appendix 12.
	2. By way of derogation, in relation to the placing on the market of formaldehyde [CAS No 50-00-0] in jackets, coats or upholstery, the relevant concentration for the purposes of paragraph 1 shall be 300 mg/kg
	during the period between 1 November 2020 and 1 November 2023. The concentration specified in Appendix 12 shall apply thereafter.
	3. Paragraph 1 shall not apply to:(a) clothing, related accessories or footwear, or parts of clothing, related
	 (a) clothing, related accessories of footwear, or parts of clothing, related accessories or footwear, made exclusively of natural leather, fur or hide; (b) non-textile fasteners and non-textile decorative attachments;

a h Giald transfer a data

TEST

IGCAI

	(c) second-hand clothing, related accessories, textiles other than clothing or footwear
	(d) wall-to-wall carpets and textile floor coverings for indoor use, rugs
	and runners.
	4. Paragraph 1 shall not apply to clothing, related accessories, textiles
	other than clothing, or footwear within the scope of Regulation (EU)
	2016/425 of the European Parliament and of the Council (*) or Regulation
	(EU) 2017/745 of the European Parliament and of the Council (**).
	5. Paragraph 1(b) shall not apply to disposable textiles. 'Disposable
	textiles' means textiles that are designed to be used only once or for a
	limited time and are not intended for subsequent use for the same or a similar purpose.
	6. Paragraphs 1 and 2 shall apply without prejudice to the application of
	any stricter restrictions set out in this Annex or in other applicable Union legislation.
	7. The Commission shall review the exemption in paragraph 3(d) and, if
	appropriate, modify that point accordingly.
	(*) Regulation (EU) 2016/425 of the European Parliament and of the
	Council of of 9 March 2016 on personal protective equipment and
	repealing Council Directive 89/686/EEC (OJ L 81, 31.3.2016, p. 51).
	(**) Regulation (EU) 2017/745 of the European Parliament and of the
	Council of 5 April 2017 on medical devices, amending Directive
	2001/83/EC, Regulation (EC) No 178/2002 and Regulation (EC) No
	1223/2009 and repealing Council Directives 90/385/EEC and 93/42/EEC
	(OJ L 117, 5.5.2017, p. 1).
	1. Shall not be placed on the market for supply to the general public after
	2 January 2021 individually or in any combination, in a concentration equal
	to or greater than 2 ppb by weight of the mixtures containing organic
	solvents, in spray products.
	2. For the purpose of this entry, 'spray products' means aerosol
	dispensers, pump sprays, trigger sprays, marketed for proofing or
73.	impregnation spray applications.
	3. Without prejudice to the implementation of other Union provisions
(3,3,4,4,5,5,6,6,7,7,8,8,8-trideca	concerning the classification, packaging and labelling of substances and
fluorooctyl) silanetriol	mixtures, the packaging of spray products containing
Any of its mono-, di- or	(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) silanetriol and/or TDFAs
tri-O-(alkyl) derivatives (TDFAs	combined with organic solvents as referred to in paragraph 1 and placed
	on the market for professional use shall be marked clearly and indelibly:
	'for professional users only' and 'Fatal if inhaled' with the pictogram
	GHS06.
	4. Section 2.3 of Safety Data Sheets shall contain the following
	information: 'mixtures of (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl)
	silanetriol and/or any of its mono-, di- or tri-O-(alkyl) derivatives in a



HONGCAI TESTING

	concentration equal to or greater than 2 ppb and organic solvents in spray
	products, are for professional users only and marked "Fatal if inhaled".
	5. Organic solvents referred to in paragraph 1, 3, and 4 include organic
	solvents used as aerosol propellants.
	1. Shall not be used as substances on their own, as a constituent in other
	substances or in mixtures for industrial and professional use(s) after 24
	August 2023, unless:
	(a) the concentration of diisocyanates individually and in combination is
	less than 0,1 % by weight, or
	(b) the employer or self-employed ensures that industrial or professional
	user(s) have successfully completed training on the safe use of
	diisocyanates prior to the use of the substance(s) or mixture(s).
	2. Shall not be placed on the market as substances on their own, as a
	constituent in other substances or in mixtures for industrial and
	professional use(s) after 24 February 2022, unless:
	(a) the concentration of diisocyanates individually and in combination is
	less than 0,1 % by weight, or
	(b) the supplier ensures that the recipient of the substance(s) or
	mixture(s) is provided with information on the requirements referred to in
	point (b) of paragraph 1 and the following statement is placed on the
74. Diisocyanates, $O =$	packaging, in a manner that is visibly distinct from the rest of the label
C=N-R-N = C=O, with R an aliphatic or aromatic	information: 'As from 24 August 2023 adequate training is required before industrial or professional use'.
hydrocarbon unit of unspecified	
length	3. For the purpose of this entry 'industrial and professional user(s)'
	means any worker or self-employed worker handling diisocyanates on
	their own, as a constituent in other substances or in mixtures for industrial
	and professional use(s) or supervising these tasks.
	4. The training referred to in point (b) of paragraph 1 shall include the
	instructions for the control of dermal and inhalation exposure to
	diisocyanates at the workplace without prejudice to any national
	occupational exposure limit value or other appropriate risk management
	measures at national level. Such training shall be conducted by an expert
	on occupational safety and health with competence acquired by relevant
	vocational training. That training shall cover as a minimum:
	(a) the training elements in point (a) of paragraph 5 for all industrial and
	professional use(s). (b) the training elements in points (a) and (b) of paragraph 5 for the
	(b) the training elements in points (a) and (b) of paragraph 5 for the following uses:
	 handling open mixtures at ambient temperature (including foam
	tunnels);
	· · ·



This can be adreaded in the second state of this can be adreaded in the



UNGCAI TESTIN

 spraving	in a	ventilated	booth
opraying		vontinatoa	0000

application by roller;

- application by brush;
- application by dipping and pouring;
- mechanical post treatment (e.g. cutting) of not fully cured articles which are not warm anymore;
- cleaning and waste;
- any other uses with similar exposure through the dermal and/or inhalation route;

(c) the training elements in points (a), (b) and (c) of paragraph 5 for the following uses:

handling incompletely cured articles (e.g. freshly cured, still warm);

foundry applications;

maintenance and repair that needs access to equipment;

— open handling of warm or hot formulations (> 45 °C);

 spraying in open air, with limited or only natural ventilation (includes large industry working halls) and spraying with high energy (e.g. foams, elastomers);

 and any other uses with similar exposure through the dermal and/or inhalation route.

5. Training elements:

- (a) general training, including on-line training, on:
 - chemistry of diisocyanates;
 - toxicity hazards (including acute toxicity);
 - exposure to diisocyanates;
 - occupational exposure limit values;
 - how sensitisation can develop;
 - odour as indication of hazard;
 - importance of volatility for risk;
 - viscosity, temperature, and molecular weight of diisocyanates;
 - personal hygiene;

 personal protective equipment needed, including practical instructions for its correct use and its limitations;

- risk of dermal contact and inhalation exposure;
- risk in relation to application process used;
- skin and inhalation protection scheme;
- ventilation;
- cleaning, leakages, maintenance;
- discarding empty packaging;
- protection of bystanders;
- identification of critical handling stages;



All the article of th

UNGCAI TESTI

- specific national code systems (if applicable);
- behaviour-based safety;
- certification or documented proof that training has been successfully completed
- (b) intermediate level training, including on-line training, on:
 - additional behaviour-based aspects;
 - maintenance;
 - management of change;
 - evaluation of existing safety instructions;
 - risk in relation to application process used;
 - certification or documented proof that training has been successfully completed
- (c) advanced training, including on-line training, on:
 - any additional certification needed for the specific uses covered;
 - spraying outside a spraying booth;
 - open handling of hot or warm formulations (> 45 °C);
 - certification or documented proof that training has been successfully completed

6. The training shall comply with the provisions set by the Member State in which the industrial or professional user(s) operate. Member States may implement or continue to apply their own national requirements for the use of the substance(s) or mixture(s), as long as the minimum requirements set out in paragraphs 4 and 5 are met.

7. The supplier referred to in point (b) of paragraph 2 shall ensure that the recipient is provided with training material and courses pursuant to paragraphs 4 and 5 in the official language(s) of the Member State(s) where the substance(s) or mixture(s) are supplied. The training shall take into consideration the specificity of the products supplied, including composition, packaging, and design.

8. The employer or self-employed shall document the successful completion of the training referred to in paragraphs 4 and 5. The training shall be renewed at least every five years.

9. Member States shall include in their reports pursuant to Article 117(1) the following information:

(a) any established training requirements and other risk management measures related to the industrial and professional uses of diisocyanates foreseen in national law;

 (b) the number of cases of reported and recognised occupational asthma and occupational respiratory and dermal diseases in relation to diisocyanates; all Cold Branches Inte

that Annex



ALT

ONGCAI TESTING

(c) national exposure limits for diisocyanates, if there are any; information about enforcement activities related to this restriction. (d) 10. This restriction shall apply without prejudice to other Union legislation on the protection of safety and health of workers at the workplace. 75. Shall not be placed on the market in mixtures for use for tattooing 1. Substances falling within one or purposes, and mixtures containing any such substances shall not be used more of the following points: for tattooing purposes, after 4 January 2022 if the substance or (a) substances classified as substances in question is or are present in the following circumstances: any of the following in Part 3 of Annex VI to Regulation (EC) No in the case of a substance classified in Part 3 of Annex VI to (a) 1272/2008: Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or carcinogen category 1A, germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight; 1B or 2, or germ cell mutagen category 1A, 1B or 2, but excluding any such (b) in the case of a substance classified in Part 3 of Annex VI to substances classified due to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B effects only following or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight; exposure by inhalation reproductive toxicant category 1A, 1B or 2 but in the case of a substance classified in Part 3 of Annex VI to (C) excluding any such Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substances classified due to substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight; effects only following exposure by inhalation skin sensitiser category 1, in the case of a substance classified in Part 3 of Annex VI to (d) 1A or 1B Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C skin corrosive category 1, or skin irritant category 2, or as serious eye damage category 1 or eye 1A, 1B or 1C or skin irritant irritant category 2, the substance is present in the mixture in a concentration equal to or greater than: category 2 - serious eye damage (i) 0,1 % by weight, if the substance is used solely as a pH regulator; category 1 or eye irritant (ii) 0,01 % by weight, in all other cases; category 2 (b) substances listed in Annex (e) in the case of a substance listed in Annex II to Regulation (EC) No II to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration 1223/2009 of the European equal to or greater than 0,00005 % by weight; Parliament and of the Council (c) substances listed in Annex (f) in the case of a substance for which a condition of one or more of the IV to Regulation (EC) No following kinds is specified in column g (Product type, Body parts) of the 1223/2009 for which a condition table in Annex IV to Regulation (EC) No 1223/2009, the substance is is specified in at least one of the present in the mixture in a concentration equal to or greater than columns g, h and i of the table in 0,00005 % by weight:

(i) 'Rinse-off products';

(d) substances listed in
Appendix 13 to this Annex.
The ancillary requirements in paragraphs 7 and 8 of column 2 of this entry apply to all mixtures for use for tattooing purposes, whether or not they contain a substance falling within points
(a) to (d) of this column of this entry.

INGCAI

all transfer as beau

(ii) 'Not to be used in products applied on mucous membranes';(iii) 'Not to be used in eye products';

(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;

TESTINE

(h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.

2. For the purposes of this entry use of a mixture 'for tattooing purposes' means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.

3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.

4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:

(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);

(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification is after the other substance.

and a state of the solution of the



ONGCAI

different frankrige

6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.

TESTINE

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

- (a) the statement 'Mixture for use in tattoos or permanent make-up';
- (b) a reference number to uniquely identify the batch;

(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. 'Ingredient' means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;

(d) the additional statement 'pH regulator' for substances falling under point (d)(i) of paragraph 1;

(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit





INGEAL TESTING

	specified in Appendix 13;
	(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.
	The information shall be clearly visible, easily legible and marked in a way that is indelible.
	The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.
	Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.
	Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.
	8. Mixtures that do not contain the statement 'Mixture for use in tattoos or permanent make-up' shall not be used for tattooing purposes.
	9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).
	10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.
76. N,N-dimethylformamide CAS No 68-12-2 EC. No 200-679-5	1.Shall not be placed on the market as a substance on its own, as a constituent of other substances, or in mixtures in a concentration equal to or greater than 0,3 % after 12 December 2023 unless manufacturers, importers and downstream users have included in the relevant chemical safety reports and safety data sheets, Derived No-Effect Levels (DNELs)

Alexandration of a statistic of a distribution of a statistic of the stati



HONGCAI TESTING

all Gidly to all a bear

	relating to exposure of workers of 6 mg/m ³ for exposure by inhalation and
	1,1 mg/kg/day for dermal exposure.
	2.Shall not be manufactured, or used, as a substance on its own, as a constituent of other substances, or in mixtures in a concentration equal to or greater than 0,3 % after 12 December 2023 unless manufacturers and downstream users take the appropriate risk management measures and provide the appropriate operational conditions to ensure that exposure of workers is below the DNELs specified in paragraph 1.
	3.By way of derogation from paragraphs 1 and 2, the obligations laid down therein shall apply from 12 December 2024 in relation to placing on the market for use, or use, as a solvent in direct or transfer polyurethane coating processes of textiles and paper material or the production of polyurethane membranes, and from 12 December 2025 in relation to placing on the market for use, or use, as a solvent in the dry and wet
	spinning processes of synthetic fibres.
77. Formaldehyde CAS No 50-00-0 EC No 200-001-8 and formaldehyde-releasing substances	 Shall not be placed on the market in articles, after 6 August 2026, if, under the test conditions specified in Appendix 14, the concentration of formaldehyde released from those articles exceeds: (a) 0,062 mg/m³ for furniture and wood-based articles; (b) 0,080 mg/m³ for articles other than furniture and wood-based articles. The first subparagraph shall not apply to:
	 (a) articles in which formaldehyde or formaldehyde releasing substances are exclusively naturally present in the materials from which the articles are produced; (b) articles that are exclusively for outdoor use under foreseeable
	 conditions; (c) articles in constructions, that are exclusively used outside the building shell and vapour barrier and that do not emit formaldehyde into indoor air; (d) articles exclusively for industrial or professional use unless formaldehyde released from them leads to exposure of the general public under foreseeable conditions of use;
	 (e) articles for which the restriction laid down in entry 72 applies; (f) articles that are biocidal products within the scope of Regulation (EU) No 528/2012 of the European Parliament and of the Council (g) devices within the scope of Regulation (EU) 2017/745; (h) personal protective equipment within the scope of Regulation (EU) 2016/425;
	 (i) articles intended to come into contact directly or indirectly with food within the scope of Regulation (EC) No 1935/2004; (j) second-hand articles. 2. Shall not be placed on the market in road vehicles after 6 August 2027 if, under the test conditions specified in Appendix 14, the concentration of



And the articular a tradition of the article of the



UNGCAI TESTING

formaldehyde in the interior of those vehicles exceeds 0,062 mg/m³. The first subparagraph shall not apply to: (a) road vehicles exclusively for industrial or professional use unless the concentration of formaldehyde in the interior of those vehicles leads to exposure of the general public under foreseeable conditions of use; (b) second-hand vehicles. 78.Synthetic polymer 1. Shall not be placed on the market as substances on their own or, where microparticles:polymers that are the synthetic polymer microparticles are present to confer a sought-after solid and which fulfil both of the characteristic, in mixtures in a concentration equal to or greater than following conditions: 0,01 % by weight. (a)are contained in particles and 2. For the purposes of this entry, the following definitions apply: constitute at least 1 % by weight (a) "particle" means a minute piece of matter, other than single molecules, of those particles; or build a with defined physical boundaries; continuous surface coating on (b) "solid" means a substance or mixture other than a liquid or gas; particles; (c) "gas" means a substance or mixture which at 50 °C has a vapour (b)at least 1 % by weight of the pressure greater than 300 kPa (absolute), or is completely gaseous at particles referred to in point (a) 20 °C at a standard pressure of 101,3 kPa; fulfil either of the following conditions: (d) "liquid" means a substance or mixture that meets any of the following conditions: (i)all dimensions of the particles are equal to or less than 5 mm; (i) the substance or mixture at 50 °C has a vapour pressure of not more than 300 kPa, is not completely gaseous at 20 °C and at a standard (ii)the length of the particles is pressure of 101,3 kPa, and has a melting point or initial melting point of equal to or less than 15 mm and 20 °C or less at a standard pressure of 101,3 kPa; their length to diameter ratio is greater than 3. (ii) the substance or mixture fulfils the criteria in the American Society for Testing and Materials (ASTM) D 4359-90 Standard Test Method for The following polymers are Determining Whether a Material Is a Liquid or a Solid; excluded from this designation: (iii) the substance or mixture passes the fluidity test (penetrometer test) (a)polymers that are the result of described in chapter 2.3.4 of Part 2 of Annex A to the European Agreement a polymerisation process that concerning the International Carriage of Dangerous Goods by Road (ADR) has taken place in nature, concluded at Geneva on 30 September 1957; independently of the process through which they have been (e) "make-up product" means any substance or mixture intended to be extracted, which are not placed in contact with specific external parts of the human body, namely chemically modified substances; the epidermis, eye brows and eye lashes, with a view to, exclusively or mainly, changing their appearance; (b)polymers that are degradable as proved in accordance with

ALTE

dillutration bar

Michaelle a the statistic of a district of the statistic of the statistic



DNGCAI TESTING

Appendix 15;

(c)polymers that have a solubility greater than 2 g/L as proved in accordance with Appendix 16;

(d)polymers that do not contain carbon atoms in their chemical structure.

3. Where the concentration of synthetic polymer microparticles covered by this entry cannot be determined by available analytical methods or accompanying documentation, in order to verify the compliance with the concentration limit referred to in paragraph 1, only the particles of at least the following size shall be taken into account:

(a) 0,1 µm for any dimension, for particles where all dimensions are equal to or smaller than 5 mm;

(b) 0,3 µm in length, for particles that have a length that is equal to or smaller than 15 mm and a length to diameter ratio greater than 3.

4. Paragraph 1 shall not apply to the placing on the market of:

(a)synthetic polymer microparticles, as substances on their own or in mixtures, for use at industrial sites;

(b) medicinal products within the scope of Directive 2001/83/EC and veterinary medicinal products within the scope of Regulation (EU) 2019/6 of the European Parliament and of the Council;

(c) EU fertilising products within the scope of Regulation (EU) 2019/1009 of the European Parliament and of the Council;

(d) food additives within the scope of Regulation (EC) No 1333/2008 of the European Parliament and of the Council;

(e) in vitro diagnostic devices, including devices within the scope of Regulation (EU) 2017/746 of the European Parliament and of the Council;

(f) food within the meaning of Article 2 of Regulation (EC) No 178/2002, not covered by point (d) of this paragraph, and feed as defined in Article 3(4) of that Regulation.

5. Paragraph 1 shall not apply to the placing on the market of the following synthetic polymer microparticles, as substances on their own or in mixtures:

(a) synthetic polymer microparticles which are contained by technical means so that releases to the environment are prevented when used in accordance with the instructions for use during the intended end use;

(b) synthetic polymer microparticles the physical properties of which are permanently modified during intended end use in such a way that the polymer no longer falls within the scope of this entry;

(c) synthetic polymer microparticles which are permanently incorporated

and a state of the second s



IONGCAI T

TESTINC

into a solid matrix during intended end use.

Paragraph 1 shall apply as follows regarding the following uses:

(a) from 17 October 2029 to synthetic polymer microparticles for use in the encapsulation of fragrances;

(b) from 17 October 2027 for "rinse-off products" as defined in point (1)(a) of the Preamble to Annexes II to VI to Regulation (EC) No 1223/2009 unless such products are covered by point (a) of this paragraph or contain synthetic polymer microparticles for use as an abrasive, i.e. namely to exfoliate, polish or clean ("microbeads");

(c) from 17 October 2035 for lip products as defined in point (1)(e) of the Preamble to Annexes II to VI to Regulation (EC) No 1223/2009, nail products as defined in point (1)(g) of the Preamble to Annexes II to VI to that Regulation, and make-up products within the scope of that Regulation, unless such products are covered by points (a) or (b) of this paragraph or contain microbeads;

(d) from 17 October 2029 for leave-on products, as defined in point (1)(b) of the Preamble to Annexes II to VI to Regulation (EC) No 1223/2009, unless such products are covered by points (a) or (c) of this paragraph;

(e) from 17 October 2028 for detergents, as defined in Article 2(1) of Regulation (EC) No 648/2004, waxes, polishes and air care products, unless those products are covered by point (a) of this paragraph or contain microbeads;

(f) from 17 October 2029 for "devices", within the scope of Regulation (EU) 2017/745 of the European Parliament and of the Council, unless those devices contain microbeads;

(g) from 17 October 2028 for "fertilising products", as defined in Article 2, point (1), of Regulation (EU) 2019/1009, which do not fall within the scope of that Regulation;

(h) from 17 October 2031 for plant protection products within the meaning of Article 2(1) of Regulation (EC) No 1107/2009 of the European
 Parliament and of the Council and seeds treated with those products, and biocidal products as defined in Article 3(1), point (a), of Regulation (EU) No 528/2012 of the European Parliament and of the Council;

(i) from 17 October 2028 for products for agricultural and horticultural uses not covered by points (g) or (h);



Mitheadaranthealler a feithe attachtine a faadhii in a faan dhi dhaa ah a ta balla a balla



UNGCAI TESTING

(j) from 17 October 2031 for granular infill for use on synthetic sports surfaces.

7. From 17 October 2025 suppliers of synthetic polymer microparticles referred to in paragraph 4, point (a), shall provide the following information:

(a) instructions for use and disposal explaining to industrial downstream users how to prevent releases of synthetic polymer microparticles to the environment;

 (b) the following statement: "The synthetic polymer microparticles supplied is subject to conditions laid down by entry 78 of Annex XVII to Regulation (EC) No 1907/2006 of the European Parliament and of the Council";

(c) the information on quantity or, as applicable, concentration of synthetic polymer microparticles in the substance or mixture;

(d) generic information on the identity of the polymers contained in the substance or mixture that enables manufacturers, industrial downstream users and other suppliers to comply with their obligations laid down in paragraphs 11 and 12.

8. From 17 October 2026 suppliers of products containing synthetic polymer microparticles referred to in paragraph 4, point (e), and from 17 October 2025 suppliers of products containing synthetic polymer microparticles referred to in paragraph 4, point (d), and paragraph 5, shall provide instructions for use and disposal explaining to professional users and the general public how to prevent releases of synthetic polymer microparticles to the environment.

9. From 17 October 2031 until 16 October 2035 suppliers of products referred to in paragraph 6, point (c), containing synthetic polymer microparticles shall provide the following statement: "This product contains microplastics." However, products placed on the market before 17 October 2031 are not required to bear that statement until 17 December 2031.

10. The information referred to in paragraphs 7, 8 and 9 shall be provided in the form of clearly visible, legible and indelible text or, where appropriate regarding the information in paragraphs 7 and 8, in the form of pictograms. The text or pictograms shall be placed on the label, the packaging, or the package leaflet of the products containing synthetic polymer microparticles or, regarding the information in paragraph 7, on the safety data sheet. In addition to the text or pictograms, suppliers may provide a digital tool that gives access to an electronic version of that information.

WALTEK



The loss of the section of the secti



IONGCAI TESTING

Where instructions for use and disposal are provided in accordance with paragraphs 7, 8 and 9 in the form of a text, they shall be in the official languages of the Member States where the substance or mixture is placed on the market, unless the Member States concerned provide otherwise.

11. Starting from 2026 manufacturers and industrial downstream users of synthetic polymer microparticles in the form of pellets, flakes, and powders used as feedstock in plastic manufacturing at industrial sites, and, starting from 2027, other manufacturers of synthetic polymer microparticles and other industrial downstream users using synthetic polymer microparticles at industrial sites shall submit the following information to the Agency by 31 May of each year:

(a) a description of the uses of synthetic polymer microparticles in the previous calendar year;

(b) for each use of synthetic polymer microparticles, generic information on the identity of the polymers used;

(c) for each use of synthetic polymer microparticles, an estimate of the quantity of synthetic polymer microparticles released to the environment in the previous calendar year, which shall include also the quantity of synthetic polymer microparticles released to the environment during transportation.

(d) for each use of synthetic polymer microparticles, a reference to the derogation laid down in paragraph 4, point (a).

12. From 2027, suppliers of products containing synthetic polymer microparticles referred to in paragraphs 4, points (b), (d) and (e), and paragraph 5, placed on the market for the first time to professional users and the general public, shall submit the following information to the Agency by 31 May of each year:

 (a) a description of the end uses for which the synthetic polymer microparticles were placed on the market in the previous calendar year;

(b) for each end use for which the synthetic polymer microparticles were placed on the market, generic information on the identity of the polymers placed on the market in the previous calendar year;

(c) for each end use for which the synthetic polymer microparticles were placed on the market, an estimate of the quantity of synthetic polymer microparticles released to the environment in the previous calendar year,





UNGCAI TESTING

which shall include also the quantity of synthetic polymer microparticles released to the environment during transportation.

(d) for each use of synthetic polymer microparticles, a reference to the applicable derogation or derogations laid down in paragraph 4, point (b),
(d) or (e), or 5 point (a), (b) or (c).

13. The Agency shall make the information submitted under paragraphs 11 and 12 available to the Member States.

14. Manufacturers, importers and industrial downstream users of products containing synthetic polymer microparticles shall provide specific information on the identity of polymers covered by this entry contained in those products and the function of those polymers in the products to competent authorities upon their request. The specific information on the polymer identity shall be sufficient to unequivocally identify polymers and shall at least include the information laid down in points 2.1 to 2.2.3 and points 2.3.5, 2.3.6 and 2.3.7 of Annex VI, where applicable.

If the information is not available to industrial downstream users, they shall request it from their supplier within 7 days from the receipt of the request from the competent authorities and shall inform the authorities of the request made without delay.

Having received the request referred to in the second subparagraph, the suppliers shall provide the requested information within 30 days to the industrial downstream user or directly to the competent authority requesting it.

Where the supplier provides the information to the industrial downstream user, the industrial downstream user shall forward that information to the competent authorities without delay.

Where the supplier provides the information directly to the authority, it shall without delay inform the industrial downstream user concerned to that effect.

15. Manufacturers, importers and industrial downstream users of products containing polymers claimed to be excluded from the designation of synthetic polymer microparticles on grounds of degradability or solubility shall provide, without delay, information proving that those polymers are degradable in accordance with Appendix 15 or soluble in accordance with Appendix 16, as applicable, to competent authorities upon their request.

16. Paragraph 1 shall not apply to placing on the market of synthetic



However, the first subparagraph shall not apply to the placing on the market of synthetic polymers microparticles for uses listed in paragraph 6.

MALT

Remark: Appendix 12 as below:

Appendix 12

Entry 72 — restricted substances and maximum concentration limits by weight in homogeneous materials:

Substances	Index- No	CAS No	EC No	Concentration limit by weight
Cadmium and its				1 mg/kg after extraction (expressed as
compounds (listed in Annex	_	_	_	Cd metal that can be extracted from the
XVII, Entry 28, 29, 30,				material)
Appendices 1-6)				
Chromium VI compounds				1 mg/kg after extraction (expressed as
(listed in Annex XVII, Entry	—	-	-	Cr VI that can be extracted from the
28, 29, 30, Appendices 1-6)				material)
Arsenic compounds (listed in				1 mg/kg after extraction (expressed as
Annex XVII, Entry 28, 29, 30,	—	-	-	As metal that can be extracted from the
Appendices 1-6)				material)
Lead and its compounds				1 mg/kg after extraction (expressed as
(listed in Annex XVII, Entry	—		—	Pb metal that can be extracted from the
28, 29, 30, Appendices 1-6)				material)
Benzene	601-020-00-8	71-43-2	200-753-7	5 mg/kg
Benz[a]anthracene	601-033-00-9	56-55-3	200-280-6	1 mg/kg
Benz[e]acephenanthrylene	601-034-00-4	205-99-2	205-911-9	1 mg/kg
benzo[a]pyrene;	601 032 00 3	50-32-8	200 029 5	1 mallea
benzo[def]chrysene	601-032-00-3	50-52-6	200-028-5	1 mg/kg
Benzo[e]pyrene	601-049-00-6	192-97-2	205-892-7	1 mg/kg
Benzo[j]fluoranthene	601-035-00-X	205-82-3	205-910-3	1 mg/kg
Benzo[k]fluoranthene	601-036-00-5	207-08-9	205-916-6	1 mg/kg
Chrysene	601-048-00-0	218-01-9	205-923-4	1 mg/kg
Dibenz[a,h]anthracene	601-041-00-2	53-70-3	200-181-8	1 mg/kg
α, α,α,4-tetrachlorotoluene;				
p-chlorobenzotrichloride	602-093-00-9	5216-25-1	226-009-1	1 mg/kg
α, α,α-trichlorotoluene;				
benzotrichloride	602-038-00-9	98-07-7	202-634-5	1 mg/kg
α-chlorotoluene; benzyl	000 007 00 0	400.44-	000.050.0	
chloride	602-037-00-3	100-44-7	202-853-6	1 mg/kg

and Cold transferances



HONGCAI TESTING

Formaldehyde	605-001-00-5	50-00-0	200-001-8	75 mg/kg
1,2-benzenedicarboxylic acid; di-C 6-8-branched alkylesters, C 7-rich	607-483-00-2	71888-89- 6	276-158-1	1 000 mg/kg (individually or in combination with other phthalates in this entry or in other entries of Annex XVII that are classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 in any of the hazard classes carcinogenicity, germ cell mutagenicity or reproductive toxicity, category 1A or 1B
Bis(2-methoxyethyl) phthalate	607-228-00-5	117-82-8	204-212-6	1 000 mg/kg (individually or in combination with other phthalates in this entry or in other entries of Annex XVII that are classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 in any of the hazard classes carcinogenicity, germ cell mutagenicity or reproductive toxicity, category 1A or 1B
Diisopentylphthalate	607-426-00-1	605-50-5	210-088-4	1 000 mg/kg (individually or in combination with other phthalates in this entry or in other entries of Annex XVII that are classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 in any of the hazard classes carcinogenicity, germ cell mutagenicity or reproductive toxicity, category 1A or 1B
Di-n-pentyl phthalate (DPP)	607-426-00-1	131-18-0	205-017-9	1 000 mg/kg (individually or in combination with other phthalates in this entry or in other entries of Annex XVII that are classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 in any of the hazard classes carcinogenicity, germ cell mutagenicity or reproductive toxicity, category 1A or 1B
Di-n-hexyl phthalate (DnHP)	607-702-00-1	84-75-3	201-559-5	1 000 mg/kg (individually or in combination with other phthalates in this entry or in other entries of Annex XVII that are classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 in any of the hazard classes carcinogenicity, germ cell mutagenicity or reproductive toxicity, category 1A or 1B
N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone	606-021-00-7	872-50-4	212-828-1	3 000 mg/kg

Liddrend have



INGCAL TESTING

(NMP)				
N,N-dimethylacetamide	616-011-00-4	107 10 5	204 826 4	
(DMAC)	616-011-00-4	127-19-5	204-826-4	3 000 mg/kg
N,N-dimethylformamide;	616-001-00-X	68-12-2	200-679-5	3 000 mg/kg
dimethyl formamide (DMF)	010-001-00-X	00-12-2	200-079-5	
1,4,5,8-tetraaminoanthraqui	611-032-00-5	2475-45-8	219-603-7	50 mg/kg
none; C.I. Disperse Blue 1	011-032-00-3	2475-45-0	219-000-7	50 mg/kg
Benzenamine,				
4,4'-(4-iminocyclohexa-2,5-				
dienylidenemethylene)dianili	611-031-00-X	569-61-9	209-321-2	50 mg/kg
ne hydrochloride; C.I. Basic				
Red 9				
[4-[4,4'-bis(dimethylamino)b				
enzhydrylidene]cyclohexa-2,				
5-dien-1-ylidene]dimethylam				
monium chloride; C.I. Basic	612-205-00-8	548-62-9	208-953-6	50 mg/kg
Violet 3 with \geq 0,1 % of				
Michler's ketone				
(EC no. 202-027-5)				
4-chloro-o-toluidinium	612-196-00-0	3165-93-3	221-627-8	30 mg/kg
chloride	012 100 00 0			
2-Naphthylammoniumacetat	612-071-00-0	553-00-4	209-030-0	30 mg/kg
е			200 000 0	
4-methoxy-m-phenylene		39156-41-		
diammonium sulphate;	612-200-00-0	7	254-323-9	30 mg/kg
2,4-diaminoanisole sulphate		ļ		
2,4,5-trimethylaniline	612-197-00-6	21436-97-	_	30 mg/kg
hydrochloride		5		
Quinoline	613-281-00-5	91-22-5	202-051-6	50 mg/kg

Contact us:

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: http://www.hct-test.com/

Hotline: 400-0066-989T: (86) 755 8416666

Email: service@hct-test.com

Add: 1st, 2nd, and 3rd Floor, No. 30-9 Rhein Road, Xinsheng Community,

Longgang Street, Longgang District, Shenzhen, Guangdong

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.